ENTRY DOOR REPLACEMENT





DO IT ONCE. DO IT RIGHT.

Do it once. Do it right.





The Process is Simple...

From coordinating an initial appointment to settling your final balance, our staff is trained to make your replacement project as easy as 1-2-3!

1. In-Home Estimate

Let our knowledgeable professionals guide you through your home improvement project. We will assist you in determining what products meet your individual needs, style and budget, give you an in-depth product demonstration and present you with a written proposal that is valid for 30 days.

2. Professional Installation

When choosing C&L Ward®, you have selected skilled, trained, and certified home remodeling experts. Next, our Installation Professionals will arrive when scheduled to install the quality products you have purchased. We also clean up and dispose of old materials and debris.

3. Peace of Mind Guarantee

of repair.

Now just sit back and enjoy the beauty, comfort and peace of mind that goes along with knowing you have the highest quality products installed by specialists! Our Peace of Mind Guarantee provides you with many years of worry-free beauty, comfort, and performance. We guarantee it!



Experience The C&L Ward Difference

Our services go beyond sound advice and the guaranteed lowest prices. As a family owned company with nearly 50 years of expertise, we are committed to providing you with exceptional service and unsurpassed craftsmanship for you and your home. See for yourself the difference our standards for quality and service will make in your project experience.



Peace of mind. Many companies promise it; however, few really deliver it. At C&L Ward, each of our installations are backed by a written workmanship guarantee, for as long as you own your home.



Because of the length of time in business and our low complaint history, C&L Ward has been awarded the prestigious A+ Rating by the Better Business Bureau®.



Our interactive showroom experience enables you to appraise the look, feel and function of many of our products before making final decisions.





We are classified as a preferred installation company for our products. Our team is trained and certified by product manufacturers and industry associations.

Dedicated service & repair department

that provides after-the-sale service on all

C&L Ward project installations as well as

servicing our other products when in need

Proud member of GuildQuality®, a customer satisfaction surveyor. We maintain a 95% Satisfaction Score in both Quality of Materials and Quality of Workmanship.







Our Commitment is Your Complete Satisfaction

When We Finish Your Installation, We've Actually Just Started

To make sure you are completely satisfied with our work, you will receive a Satisfaction Survey from Guild Quality. It will enable you to grade our performance and your level of satisfaction with our company.

Service After The Sale

Long after your project is completed, C&L Ward is here to provide you with years of worry-free support. As a member of the Andersen Dealer Service Network, our staff of in-house service technicians is ready to service your products should the need ever arise. Rest assured, help is just a phone call away.

For As Long As You Own Your Home

Peace of mind. Many companies promise it; however, few really deliver it. At C&L Ward, all of our window and door installations are backed by a written workmanship guarantee. Should a problem ever arise due to the quality of our installation, C&L Ward will correct the problem at no cost to you, for as long as you own your home.

PALMER




Committed to Exceptional Service

Your satisfaction is our top priority. For more than 100 years, our employee owners have been committed to providing exceptional customer service. From our product experts, who can offer a wealth of knowledge, to our easy ordering tools, we help to make selecting your new door system an enjoyable experience.



Finishing Touches

From beginning to end, we pay close attention to detail. Our trained employees proudly craft each door, and complete the look with a beautiful hand-applied finish. Palmer-Donavin offers 30 popular stock paint colors, 14 rich stain colors and custom paint color matching to complete the look for your home. All backed by a 10-year warranty.



Get a closer look into each step of how our doors are professionally built.





Why Therma-Tru. Doors Uncompromising quality, inside and out.

#1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most - in entry doors.*



Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect - from the glass to the hinges - to bring your home durability and reliability through the years.

Lifetime Limited Warranty

TRANSFERABL

LIFETIME When you pay close attention to every detail that goes into a door, you can **LIFETIME** stand behind its parts longer than the rest. WARRANTY That's why your Therma-Tru fiberglass

door system is backed with a lifetime limited warranty - the industry's most comprehensive warranty of its kind.

Energy Efficiency



More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC)

certified, helping save money on energy costs.

Front Cover: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door - FCM4813, Sidelites - FCM2000SL, Transom - 19220T, Finish - Mulberry, Door Surround – TDS-FLTFLT, Fypon

*Brand Use Study, 2021 Builder magazine. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Table of Contents

Why Choose Us	2
Curb Appeal	4
Trends	5
A Complete Door System	6
EnLiten Flush-Glazed Designs	8
Entry Door Configurations	10
Stain Options	12
Paint Options	13

Classic Craft

Classic Craft Collections	14
Door Options	16
Door Construction	18
Decorative Glass	20
Specialty Glass	22
Divided Lites	23
Full Glass Options	24
3/4-Glass Options	26
2/3-Glass Options	29
1/2-Glass Options	32
Craftsman & Minimal Options	33
Solid Panel Options	35
8'0" Full-Glass Options	39
8'0" 2/3-Glass Options	41
8'0" Craftsman Options	45
8'0" Solid Panel Options	46
Sidelite Options	50

Fiber-Classic, & Smooth-Star,

Door Options	52
Door Construction	53
Decorative Glass	54
Specialty Glass	56
Divided Lites	57
Full Glass Options	58
3/4-Glass Options	62
1/2-Glass Options	65
Oval Options	72
Craftsman Options	74
Minimal Glass Options	76
Pulse, Options	78
Solid Panel Options	80
Sidelite Options	
8'0" Full-Glass Options	
8'0" 3/4-Glass Options	88
8'0" 1/2-Glass Options	
8'0" Craftsman Options	93
8'0" Pulse Options	
8'0" Solid Panel Options	
8'0" Sidelite Options	

Profiles. & Traditions

Steel Options

Hardware Options1	03
Product Details1	09

.100

The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at thermatru.com/curbappeal.



Perceived Value

A smart investment, a new Therma-Tru_® entry door can increase a home's perceived value by **4.2%** or **\$18,750** on average.*



Return On Investment

Homeowners who choose a stylish new Therma-Tru_® entry door can see more than 2 times the return on their investment.*



A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.



LIFETIME NARRANTY



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.


Trends

Home design trends will continue to blend together as we unlock our imaginations to create a variety of unique looks for the front entry. Therma-Tru's exciting new products bring together form, function and lifestyle trends that allow today's design-savvy homeowners to create exteriors that reflect their personal style while ultimately making them feel more at home.

Explore the trends and the Therma-True products that bring them to life at thermatru.com/trends.










*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products. Top Right: Smooth-Star, Axis Glass, Door – S1652, Sidelite – S1652SL

A Complete Door System

A Therma-Tru, door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system – from the glass to the hinges - made to perform as good as it looks.





*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation. **Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.



Removable Weatherstrip

Our resilient design compresses when closed and springs back when open. It's protected by a durable jacket for long-lasting sealing power.





of mind.





6 Composite **Adjustable Sills**

These allow flexibility to adjust the sill cap vertically to close gaps, helping to maintain a tight seal between the sill and the bottom of the door.

6 Dual-Bulb / **Dual-Fin Bottom** Sweep

(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.

Tru-Defense: The Ultimate Protection

We manufacture or specify every aspect of a complete door system. The Therma-Tru- genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind


When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the (-) icon.

System



③ Ball-Bearing Hinges

Hinges with ball-bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly.



4 7-Shape **Corner Seal Pads**

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



Mullion Options


Mullions not only give the hinges and lock a place to anchor, they come in a range of sizes from 1"-3" in width per mullion to help create an entry door system to fit the opening of your home.


Levels of Reimbursement		
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.

EnLiten. Flush-Glazed Designs For Classic Craft,, Fiber-Classic, & Smooth-Star, Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (\triangle, \triangle) icons.





See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Detailed Sticking



Flush-Glazed Glass with Square Sticking



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.





*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Door - CCA2300XG, Sidelites -CCA2400XGSL

Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door - 2150, Finish -Raven

Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors - S2600

Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door - FCM4814XC, Sidelites - FCM2000XCSL, Transom - 19220T, Finish - Acorn, Door Surrounds - TDS-FLTFLT

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

Warranty riders for peace of mind.

EnLiten Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten_M Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Designs

EnLiten... Flush-Glazed



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph


Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)




Entry Door Configurations

Configure a beautiful look to suit your home.















Door Swing & Handing

Find the door swing and handing needed for your home. Options include inswing and outswing for right- and left-handed operation.

Inswing















Finish Right at C&L Ward

Leave the work and time of staining or painting your new doors to our finishing craftspeople in our own exclusive prefinish shop. Our complete seven step finishing process will bring out the true beauty of your doors to last years in your home. All you have to do is choose the desired finish. Our design professionals will help select from several different Sherwin-Williams® stains and a rainbow of paint colors to provide that one-of-a-kind look for your home.

Why Choose Our Process?

- ✓ When we're done, you're done
- ✓ No odors or fumes in your home
- No disruption to your daily routine
- No worries about a mess or spills
- ✓ No excess materials to dispose of
- ✓ No time off work or wasted weekends



Stain Options




Top: Classic Craft Craftsman Lite 2 Panel Flush-Glazed | Style No. CCA230-SDL Finish colors may vary from actual application due to flucuations in finishing or printing.

Paint Options

AW White 6196	High Reflective White 7757
AW Canvas 6133	Universal Khaki 6150
AW Terratone	Urbane Bronze 7048
AW Gray 7668	Software 7074
Loyal Blue 6510	Naval 6244
Hickory Smoke 7027	AW Cocoa
AW Red Rock	



Note: Select any color from the Sherwin-Williams Paint Fan Deck for a custom look. Additional fees may apply. Finish colors may vary from actual application due to flucuations in finishing or printing.



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – Raven Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM8303L, CCM8303R, Finish - New Earth Right Page Bottom: Classic Craft Walnut Grain Door - CCW8906R, Low-E Direct Set Sidelite - DRS82131SL, Finish - Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artíssa Collection



Founders Collection Traditional | Time-Honored | Decorative



Casual | Relaxed | Simple



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.

AccuGrain.



of the largest species of American Hemlocks - the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest

Oak Grain

Designed to emulate the unique

characteristics of Red Oak trees, embodying the look and

feel of one of the most popular

wood grains of all time.

Mahogany Grain Formerly Classic Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Industry-leading warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard. premium stain or paint are backed by a transferable 10-year limited finish warranty - Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at www.thermatru.com/warranty.

*Brand Use Study, 2020 Builder magazine. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.





resemblance to a real wood door.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft, premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.



20

Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

Therma-Tru. Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass). Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR30020; Provincial Glass, Sidelites – CCR3408SL; Low-E Glass, Transom – 19220T, Finish – Driftwood

Right Page Bottom: Classic Craft Canvas Door - CCV220, Low-E Glass, Sidelites - CCV100SL, Finish - Indigo



Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.

Triple-Pane Construction



Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Crafted True-to-V Revolution technology

Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain. technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**




Decorative Glass

Homeward_{TM} Black Nickel












Longford

Cambridge_m

Black Nickel



Black Nickel



Brushed Nickel Privacy Rating 1 (3) 10





Arborwatch.

Privacy Rating (1 (4)

Brushed

Nickel





Wrought Iron

Brushed Nickel







Black Nickel









Privacy Rating 1 (8) 10





Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

22

Lucerna.




Black Nickel



Brushed Nickel



Specialty Glass



Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home.





(40.64 mm / 1.6 in.) Look for the "-SDL" extension.

(107.95 mm / 4.25 in.) Look for the "-SDLF3" extension.

Fir Grain

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.



24



(139.70 mm / 5.5 in.) Look for the "-SDLF4" extension.



"-SDLF5" extension.



(40.64 mm / 1.6 in.) Look for the "-SDL" extension.

Canvas



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven

Classic Craft. Full Glass Options



Additional sizes available where noted.



Кеу

 No Stile Lines Flush-Glazed Glass 	SDLF6 1.6" Flat Simulated Divided Lites
with Detailed Sticking (FG)	DDBF34.25" Flat Door Divider Bars
O Flush-Glazed Glass	DDBF45.5" Flat Door Divider Bars
with Square Sticking (FG)	DDBF54.25" & 5.5" Flat Combo
0	Door Divider Bars
Vented Sidelite	GBG Grilles Between Glass
1DBlack Nickel	RG Removable Wood Grilles
1CBrushed Nickel	FXG Fixed Grilles
1ABrass	FF Flat Frame
1WWrought Iron	666
XKReeded	70
XG Geometric	505'0" Width Solution
XESatin Etch	20Available in 2'0" Width
XC Chord	24Available in 2'4" Width
XJ Chinchilla	26Available in 2'6" Width
XRRainglass	28Available in 2'8" Width
XN Granite	Available in 2'10" Width
LELow-E	30Available in 3'0" Width
CL Clear	36Available in 3'6" Width
SDL Simulated Divided Lites	¹⁰ Available in 10" Width
SDLF3 4.25" Flat Simulated	12Available in 12" Width
Divided Lites	4Available in 14" Width
SDLF4 5.5" Flat Simulated	9WBDR Options
Divided Lites	9WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	
Simulated Divided Lites	

Artíssa Collection



Privacy / Low-E SDL



Fir*: CCA2350(__)-SDLF5 () (XE, XC, XJ, XR) CCA2350-SDLF5LE 🔿

Privacy / Low-E SDL



(XE, XC, XJ, XR) CCA2370-SDLF4LE

Privacy / Low-E SDL



Fir*: CCA4910L(__)-SDLF3 () (XE, XC, XJ, XR) CCA4910L-SDLF3LE 🗅





Fir*: CCA2360(__)-SDLF5 () (XE, XC, XJ, XR) CCA2360-SDLF5LE 🔿

Privacy / Low-E SDL



Fir*: CCA4900()-SDLF3 () (XE, XC, XJ, XR) CCA4900-SDLF3LE

Privacy / Low-E SDL



Fir*: CCA4910R(__)-SDLF3 () (XE, XC, XJ, XR) CCA4910R-SDLF3LE

Privacy / Low-E SDL



Privacy / Low-E SDL





CCA4920L-SDLF5LE

Fir*: CCA4920R(__)-SDLF5 🛆 (XE, XC, XJ, XR) CCA4920R-SDLF5LE

Canvas:

(1W)

CCV10027

Oak: CC100-LE

Canvas:

CCV10020-LE

Founders Collection




Augustine

Mahogany**: CCR30029 (1D, 1C)

Lucerna



Low-E



Mahogany**: CCR30020-LE

Privacy / Low-E SDL

Mahogany**: CCR10022

(1D, 1C)






Fir*: CCA2310(__)-SDLF4 () (XK, XG, XE, XC, XJ, XR) CCA2310-SDLF4LE O

Privacy / Low-E SDL



(XK, XG, XE, XC, XJ, XR) CCA2380-SDLF5LE



*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

26

Privacy / Low-E SDL



Fir*: CCA4930(__)-SDLF5 () (XE, XC, XJ, XR) CCA4930-SDLF5LE 🗅

Privacy / Low-E SDL



Fir*: CCA4940(__)-SDLF5 () (XE, XC, XJ, XR) CCA4940-SDLF5LE

Borrassa



Canvas: CCV1528 (1W)

Provincial



0ak: CC107 (1D, 1C, 1A)

Mahogany**: CCR1528 (1W)

Visionary Collection

Zaha



Canvas: CCV1851 (1D, 1C)

Mahogany**: CCR1851 (1D, 1C)

Privacy / Low-E



Fir*: CCA2400(__) 🛆 (XK, XG, XE, XC, XJ, XR) CCA2400-LE ()

Privacy / Low-E SDL



Fir*: CCA2300(__)-SDLF4 () (XK, XG, XE, XC, XJ, XR) CCA2300-SDLF4LE 🛆

Classic Craft. 3/4-Glass Option



Additional sizes available where noted. Classic Craft Oak Grain, Lucerna Glass, Door – CC922, Sidelites – CC3412SL, Transom – LCRT

Кеу

itey	
 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated Vented Sidelite Black Nickel Black Nickel Brushed Nickel Brushed Nickel Mumm Wrought Iron XK Reeded XG Geometric 	SDLF6 1.6" Flat Simulated Divided Lites DDBF3 4.25" Flat Door Divider Bars DDBF4 5.5" Flat Door Divider Bars DDBF5 4.25" & 5.5" Flat Combo Door Divider Bars GBG Grilles Between Glass RG Grilles Between Glass RG Fixed Grilles FXG Fixed Grilles FF Flat Frame G
XG Geometric XE Satin Etch XC Chord	 40
XJ Chinchilla XR Rainglass XN Granite	Image: Provide the system Image: Provide the system
LE Low-E CL Clear SDL Simulated Divided Lites SDLF3 4.25" Flat Simulated	 40
Divided Lites SDLF4 5.5" Flat Simulated Divided Lites SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	 4

Artíssa Collection

Homeward



Arborwatch



Mahogany: CCM1419 (1D, 1C)

Privacy / Low-E



Founders Collection

Augustine



Mahogany: CCM1485 (1W)





Oak: CC1418 (1D, 1C)



Augustine



Canvas: CCV05027 (1W)

Founders Collection

Augustine





Mahogany: CCM1495 (1W)

Borrassa



Mahogany: CCM210B

(1D)









Borrassa

Mahogany: CCM1475 (1W)

Canvas: CCV1519 (1W)

Longford





Canvas: CCV05022

(1D, 1C)

Mahogany: CCM203 (1D, 1C)

Lucerna


Canvas: CCV05023 (1D, 1C)



Oak: CC922 (1D, 1C)

Lucerna

Mahogany: CCM302 (1D, 1C)



28



3/4-Glass Options

Bella

(1D)



Canvas: CCV05024B (1D)

Bella



Mahogany: CCM310B (1D)

Provincial



Canvas: CCV05028 (1D, 1C)

Borrassa

Mahogany: CCM1465 (1W)

Cambridge



0ak: CC96 (1D, 1C, 1A)

Privacy / Low-E



Mahogany: CCM200(__) (XC, XN) CCM200-LE



Lucerna



Mahogany: CCM204 (1D, 1C)

Privacy



Mahogany: CCM300XN

Visionary Collection







Zaha

Canvas: CCV1843 (1D, 1C)

Classic Craft. 2/3-Glass Options

All doors available in



Additional sizes available where noted.



Кеу

 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated 20-Minute Fire-Rated Wented Sidelite Black Nickel Brushed Nickel Brushed Nickel Brushed Nickel Brushed Nickel Brushed Nickel Geometric XE Satin Etch XC Chord XJ Chinchilla XR Rainglass XN Granite LE Low-E CL Simulated Divided Lites SDL=3 4.25" Flat Simulated 	SDLF61.6" Flat Simulated Divided Lites DDBF34.25" Flat Door Divider Bars DDBF45.5" Flat Door Divider Bars DDBF54.25" & 5.5" Flat Combo Door Divider Bars GBGGrilles Between Glass RGRemovable Wood Grilles FXGFixed Grilles FFFlat Frame 606'6" Height in Select Sizes 707'0" Height in Select Sizes 605'0" Width Solution 60Available in 2'0" Width 61Available in 2'4" Width 62Available in 2'6" Width 63Available in 2'10" Width 64Available in 3'0" Width 65Available in 3'6" Width 66Available in 3'6" Width 67Available in 10" Width 67Available in 10" Width 67Available in 10" Width 67Available in 12" Width
SDLF3 4.25" Flat Simulated Divided Lites	 Available in 12" Width Available in 14" Width
SDLF4 5.5" Flat Simulated Divided Lites	9WBDR Options 9WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	



Artíssa Collection

Homeward



Mahogany**: CCR9919 (1D, 1C)

Arborwatch



Mahogany**: CCR1415 (1D, 1C)

Privacy / Low-E



Mahogany**: CCR20520(__) (XC, XN) CCR20520-LE

Founders Collection

Augustine



2/3-Glass Options

Homeward



Mahogany**: CCR9918 (1D, 1C)

Arborwatch



Mahogany**: CCR1414 (1D, 1C)

Mahogany**: CCR20527 (1W)

Augustine



Mahogany**: CCR20537 (1W)

Founders Collection

Augustine

Mahogany**: CCR20027

(1W)

Mahogany**: CCR20037 (1W)

Borrassa

Augustine





Longford



Borrassa

(1W)



(1D, 1C)



Mahogany**: CCR20523

(1D, 1Č)



(XC, XN) CCR20020-LE

Mahogany**: CCR1512

Longford



Mahogany**: CCR20023





Mahogany**

CCM303L(__)-SDLF6 \(\circ) | CCM303R(__)-SDLF6 \(\circ) |

(XC, XN, XR, XE)

CCM303R-SDLF6LE 🔿

CCM302L(_) 🗅 (XC, XN, XR, XE) CCM302L-LE ()

Privacy / Low-E SDL

(XC, XN, XR, XE) CCM303L-SDLF6LE ()

Privacy / Low-E SDL

CCM302R(_) (XC, XN, XR, XE) CCM302R-LE 🛆

Privacy / Low-E



CCM301CAL(__) 🛆 (XC, XN, XR, XE) CCM301CAL-LE 🔿



(XC, XN, XR, XE)

Mahogany**: CCR1515

Borrassa





Lucerna

(1W)



Mahogany**: CCR20522 (1D, 1Č)




Mahogany**: CCR1511

(1W)

Lucerna

Mahogany**: CCR20022 (1D, 1C)





(XC, XN, XR, XE) CCM305CAL-SDLF6LE
CCM305CAR-SDLF6LE

Mahogany** CCM305CAL(__)-SDLF6 | CCM305CAR(__)-SDLF6 | (XC, XN, XR, XE)



32

Privacy / Low-E SDL



Mahogany**

CCM304L(_)-SDLF6 () (XC, XN, XR, XE) CCM304L-SDLF6LE 🛆

CCM304R(_)-SDLF6 () (XC, XN, XR, XE) CCM304R-SDLF6LE

Mahogany**

CCM301CAR(__) 🗅 (XC, XN, XR, XE) CCM301CAR-LE 🛆

Privacy / Low-E SDL






Mahogany**

CCM306CAL(__)-SDLF6 | CCM306CAR(__)-SDLF6 | (XC, XN, XR, XE) CCM306CAL-SDLF6LE
CCM306CAR-SDLF6LE

Classic Craft. 2/3-Glass Options






Additional sizes available where noted.

	No Stile Lines
	Flush-Glazed Glass
~	with Detailed Sticking (FG)
0	Flush-Glazed Glass
	with Square Sticking (FG)
	20-Minute Fire-Rated
•	Vented Sidelite
1D	Black Nickel
1C	Brushed Nickel
1A	Brass
1W	Wrought Iron
XK	Reeded
XG	Geometric
XE	Satin Etch
XC	Chord
XJ	Chinchilla
XR	Rainglass
XN	Granite
LE	Low-E
CL	Clear
SDL	Simulated Divided Lites
	4.25" Flat Simulated Divided Lites
	5.5" Flat Simulated
	Divided Lites
SDLF5	4.25" & 5.5" Flat Combo
	Simulated Divided Lites
	1.6" Flat Simulated Divided Lites
DDBF3	4.25" Flat Door Divider Bars
	5.5" Flat Door Divider Bars
	4.25" & 5.5" Flat Combo Door Divider Bars
GBG	Grilles Between Glass
RG	Removable Wood Grilles
FXG	Fixed Grilles
FF	Flat Frame
66	6'6" Height in Select Sizes
70	7'0" Height in Select Sizes
50	5'0" Width Solution
20	Available in 2'0" Width
214	Available in 2'4" Width
26	Available in 2'6" Width
28	Available in 2'8" Width
210	Available in 2'10" Width
30	Available in 3'0" Width
36	Available in 3'6" Width
10	Available in 10" Width
12	Available in 12" Width
14	Available in 14" Width
6	WBDR Options
9	WBDR / HVHZ Options

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic. Note: Product images show exterior side of door.

Classic Craft. 1/2-Glass Options





Additional sizes available where noted.



Кеу

itey	
 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated Vented Sidelite Black Nickel Brushed Nickel Brushed Nickel Brass 	SDLF6 1.6" Flat Simulated Divided Lites DDBF3 4.25" Flat Door Divider Bars DDBF4 5.5" Flat Door Divider Bars DDBF5 4.25" & 5.5" Flat Combo Door Divider Bars GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame
1W Wrought Iron	666'6" Height in Select Sizes
XK	7'0" Height in Select Sizes
XG Geometric	505'0" Width Solution
XE Satin Etch	20 Available in 2'0" Width
XC Chord	24 Available in 2'4" Width
XJChinchilla	26Available in 2'6" Width
XRRainglass	Available in 2'8" Width
XN Granite	200 Available in 2'10" Width
LELow-E	Available in 3'0" Width
CL Clear	36Available in 3'6" Width
SDL Simulated Divided Lites	Available in 10" Width
SDLF3 4.25" Flat Simulated	2 Available in 12" Width
Divided Lites	4 Available in 14" Width
SDLF4 5.5" Flat Simulated	9WBDR Options
Divided Lites	9WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo	
Simulated Divided Lites	

Artíssa Collection



Founders Collection

Provincial



0ak: CC47 (1D, 1C, 1A) 2|8

Cambridge



Oak: CC44 (1D, 1C, 1A) 2|8

Removable Grilles





Longford

Mahogany: CCM603 (1D, 1C)

Lucerna




(1D)



Oak: CC48-LE

Classic Craft. Craftsman & Minimal Options





Additional sizes available where noted.



Кеу

No Stile Lines	SDLF6 1.6" Flat Simulated
Flush-Glazed Glass	Divided Lites
with Detailed Sticking (FG)	DDBF34.25" Flat Door Divider Ba
O Flush-Glazed Glass	DDBF45.5" Flat Door Divider Bar
with Square Sticking (FG)	DDBF54.25" & 5.5" Flat Combo
	Door Divider Bars
Vented Sidelite	GBG Grilles Between Glass
1DBlack Nickel	RG Removable Wood Grilles
1CBrushed Nickel	FXG Fixed Grilles
1ABrass	FF Flat Frame
1W Wrought Iron	66
XKReeded	7'0" Height in Select Sizes
XG Geometric	50
XESatin Etch	20Available in 2'0" Width
XC Chord	24 Available in 2'4" Width
XJ Chinchilla	26Available in 2'6" Width
XR Rainglass	28Available in 2'8" Width
XN Granite	and Available in 2'10" Width
LELow-E	Image: Available in 3'0" Width
CL Clear	36Available in 3'6" Width
SDLSimulated Divided Lites	00Available in 10" Width
SDLF3 4.25" Flat Simulated	2Available in 12" Width
Divided Lites	4Available in 14" Width
SDLF4 5.5" Flat Simulated	9WBDR Options
Divided Lites	6WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	

Note: Product images show exterior side of door. *Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

34

Artíssa Collection

Homeward SDL



Fir*: CCA231-SDL 🌢 (1D, 1C)

Homeward



Canvas: CCV911 🔿 (1D, 1C)

Arborwatch



ars

Fir*: CCA9100 🌢 (1D, 1C)

Privacy / Low-E SDL



Fir*: CCA230(__)-SDL 🌢 (XC, XJ, XR, XN) CCA230-SDLLE

Homeward



Fir*: CCA211 🌢 (1D, 1C)

Arborwatch SDL



Fir*: CCA9300-SDL 🌢 (1D, 1C)



Fir*: CCA220(__)-SDL ▲ (XC, XJ, XR, XN) CCA220-SDLLE

Privacy / Low-E



Fir*: CCA210(__) 🌢 (XC, XJ, XR, XN) CCA210-LE

Artíssa Collection (Cont'd)

Low-E SDL Canvas: CCV920-SDLLE 🔿

Low-E SDL

Canvas: CCV930-SDLLE 🔿



Canvas: CCV960-SDLLE 🛆



Founders Collection

Arcadia



Mahogany: CCM709



Longford

Mahogany: CCM703 (1D, 1C)

Lucerna

(1C)



Mahogany: CCM822 (1D, 1C)







Cambridge

Oak: CC76 (1D, 1C, 1A)



Mahogany: CCM702 (1D, 1C)



All doors available in



Additional sizes available where noted.



Кеу

 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated Vented Sidelite Black Nickel Black Nickel Brushed Nickel Brushed Nickel Brushed Nickel Geometric Keeded XG Geometric XE Satin Etch XC Chirchilla XR Rainglass XN Granite LE Low-E CL Clear Simulated Divided Lites 	 SDLF6 1.6" Flat Simulated Divided Lites DDBF3 4.25" Flat Door Divider Bars DDBF4 5.5" Flat Door Divider Bars DDBF5 4.25" & 5.5" Flat Combo Door Divider Bars GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6'6" Height in Select Sizes 5'0" Width Solution 4Vailable in 2'0" Width 4Vailable in 2'4" Width 4Vailable in 2'8" Width 4Vailable in 2'10" Width 4Vailable in 3'0" Width 4Vailable in 3'6" Width 4Vailable in 3'6" Width 4Vailable in 3'6" Width 4Vailable in 10" Width
0	-
LELow-E	Image: Available in 3'0" Width
02	
SDLF4 5.5" Flat Simulated Divided Lites	9WBDR Options 9WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	

Note: Product images show exterior side of door. *Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Artíssa Collection

2-Panel **Craftsman Shaker**



Fir*: CCA1125-DDBF5

2-Panel Square Top Shaker



Fir*: CCA1127-DDBF4

Z-Brace - Left



Fir*: CCA4915L-DDBF3

Double-Z - Left



Fir*: CCA4925L-DDBF5

4-Panel **Craftsman Shaker**



Fir*: CCA1149-DDBF5

X-Brace



Fir*: CCA4905-DDBF3

Z-Brace - Right



Fir*: CCA4915R-DDBF3

Double-Z - Right



Fir*: CCA4925R-DDBF5

Artíssa Collection







Fir*: CCA4935-DDBF5





Fir*: CCA1147-DDBF5

2-Panel 3/4 Top

Fir*: CCA1166-DDBF5



Oak: CC91



4-Panel Square

Fir*: CCA4945-DDBF5



2-Panel Plank

Soft Arch











Founders Collection












Mahogany: CCM701

4-Panel Square Top



0ak: CC40 36 ONLY



1-Panel Shaker



Flush Panel

Walnut: CCW1000

26 28 210 36



Fir*: CCA1133-DDBF4

900 Design - Left



Walnut: CCW900L 26 28 210 36

901 Design - Right



901 Design - Left

Walnut: CCW901R 26 28 210 36

902 Design - Right



903 Design



3-Panel Shaker

4-Panel Shaker



Fir*: CCA1145-DDBF4

900 Design - Right



Walnut: CCW900R 2|6 2|8 2|10 3|6

902 Design - Left



Walnut: CCW902L 2|6 2|8 2|10 3|6

904 Design - Left



Walnut: CCW904L 26 28 210 36

Classic Craft. Solid Panel Options

All doors available in



Additional sizes available where noted.

Key

	. No Stile Lines
•	. Flush-Glazed Glass
\wedge	with Detailed Sticking (FG)
0	. Flush-Glazed Glass
•	with Square Sticking (FG)
	. 20-Minute Fire-Rated
	. Vented Sidelite
	. Black Nickel
	. Brushed Nickel
1A	
	. Wrought Iron
XK	
	. Geometric
	. Satin Etch
XC	
	. Chinchilla
	Rainglass
XN	
LE	
CL	
	. Simulated Divided Lites
SDLF3	. 4.25" Flat Simulated Divided Lites
	. 5.5" Flat Simulated
3DLF4	Divided Lites
SDLF5	. 4.25" & 5.5" Flat Combo
	Simulated Divided Lites
	. 1.6" Flat Simulated Divided Lites
	. 4.25" Flat Door Divider Bars
	. 5.5" Flat Door Divider Bars
DDBF5	. 4.25" & 5.5" Flat Combo Door Divider Bars
GBG	. Grilles Between Glass
	. Removable Wood Grilles
	. Fixed Grilles
	. Flat Frame
	. 6'6" Height in Select Sizes
70	. 7'0" Height in Select Sizes
50	. 5'0" Width Solution
20	. Available in 2'0" Width
2 4	. Available in 2'4" Width
2 6	. Available in 2'6" Width
2 8	. Available in 2'8" Width
2 10	. Available in 2'10" Width
30	. Available in 3'0" Width
36	. Available in 3'6" Width
10	. Available in 10" Width
12	. Available in 12" Width
14	. Available in 14" Width
6	.WBDR Options
	. WBDR / HVHZ Options

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic. Note: Product images show exterior side of sidelite.

Visionary Collection



904 Design - Right 905 Design Walnut: CCW905

906 Design - Left Walnut: CCW906L 26 28 210 36



Classic Craft. 8'0" Full Glass Options

All doors available in



Additional sizes available where noted.



Кеу

	. No Stile Lines	SDLF6 1.6" Flat Simulated
.	. Flush-Glazed Glass	Divided Lites
•	with Detailed Sticking (FG)	DDBF34.25" Flat Door Divider Bars
٥	. Flush-Glazed Glass	DDBF45.5" Flat Door Divider Bars
~	with Square Sticking (FG)	DDBF54.25" & 5.5" Flat Combo
	. 20-Minute Fire-Rated	Door Divider Bars
•	. Vented Sidelite	GBG Grilles Between Glass
1D	. Black Nickel	RG Removable Wood Grilles
1C	. Brushed Nickel	FXG Fixed Grilles
1A	. Brass	FFFlat Frame
1W	. Wrought Iron	6 ⁶ Height in Select Sizes
XK	. Reeded	"
XG	. Geometric	50
XE	. Satin Etch	20 Available in 2'0" Width
XC	. Chord	24Available in 2'4" Width
XJ	. Chinchilla	26Available in 2'6" Width
XR	. Rainglass	28Available in 2'8" Width
XN	0	and the second s
LE	.Low-E	30 Available in 3'0" Width
CI	Clear	36 Available in 3'6" Width
SDI	. Simulated Divided Lites	Available in 10" Width
	. 4.25" Flat Simulated	Available in 12" Width
00210	Divided Lites	4Available in 14" Width
SDLF4	.5.5" Flat Simulated	9WBDR Options
	Divided Lites	6WBDR / HVHZ Options
SDLF5	. 4.25" & 5.5" Flat Combo Simulated Divided Lites	

Note: Product images show exterior side of door.

907 Design - Left





Walnut: CCW907L 216 218 2110 316





Classic Craft Walnut Grain Door - CCW902R, Finish - Shale ; Low-E Glass, Direct Set Sidelite - DRS82131SL, Transoms - 19200T, 19210T 40

Solid Panel Options

Walnut: CCW904R 26 28 210 36

907 Design - Right

26 28 210 36

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Artíssa Collection

Low-E SDL



Fir*: CCA82350XC-SDLF5 () CCA82350-SDLF5LE ()

Low-E SDL



Fir*: CCA82370XC-SDLF4 () CCA82370-SDLF4LE

Low-E SDL



Fir*: CCA84930XC-SDLF5 🗅 CCA84930-SDLF5LE 🔿

Low-E SDL



Fir*: CCA82360XC-SDLF5 (\) CCA82360-SDLF5LE (\)

Low-E SDL



Fir*: CCA84900XC-SDLF3 () CCA84900-SDLF3LE ()

Low-E SDL



Fir*: CCA84940XC-SDLF5 🛆 CCA84940-SDLF5LE 🛆

Visionary Collection

Privacy / Low-E SDL



8'0" Full Glass Options

Privacy / Low-E SDL

Fir*: CCA82300(__)-SDLF4 △ (XK, XG, XC) CCA82300-SDLF4LE △



Privacy / Low-E SDL



Fir*: CCA82380(__)-SDLF5 (XK, XG, XC) CCA82380-SDLF5LE ()



Fir*: CCA82400(__) △ (XK, XG, XC) **CCA82400-LE** △





Additional sizes available where noted.



Кеу

 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) On Mirch Fire Data 	SDLF61.6" Flat Simulated Divided Lites DDBF34.25" Flat Door Divider Bar DDBF45.5" Flat Door Divider Bars DDBF54.25" & 5.5" Flat Combo Door Divider Bars
	GBG Grilles Between Glass
	RG
1DBlack Nickel	FXG Fixed Grilles
1CBrushed Nickel	FFFlat Frame
1ABrass	616
1WWrought Iron	
XKReeded	70
XG Geometric	50
XESatin Etch	20Available in 2'0" Width
XC Chord	24Available in 2'4" Width
XJ Chinchilla	26Available in 2'6" Width
XR Rainglass	28Available in 2'8" Width
XN Granite	200 Available in 2'10" Width
LELow-E	Image: Available in 3'0" Width
CLClear	36 Available in 3'6" Width
SDLSimulated Divided Lites	 Available in 10" Width
SDLF3 4.25" Flat Simulated	12Available in 12" Width
Divided Lites	4Available in 14" Width
SDLF4 5.5" Flat Simulated	9WBDR Options
Divided Lites	6WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	

Note: Product images show exterior side of door. *Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Artíssa Collection

Homeward



Mahogany**: CCR89919 (1D, 1C) 36

Homeward



Mahogany**: CCR822218 (1D, 1C) (16)

Arborwatch



Mahogany: CCR81414** (1D, 1C)

Privacy / Low-E



Mahogany**: CCR820520(__) (XC, XN) CCR820520-LE 3

Homeward



Mahogany**: CCR89918 (1D, 1C)

Arborwatch



Mahogany**: CCR81415 (1D, 1C) 36

Arborwatch



Mahogany**: CCR822214 (1D, 1C) 36

Privacy



Mahogany**: CCR822220(__) (XC, XN)

Founders Collection

8'0" 2/3-Glass Options

Augustine



Augustine

Mahogany**: CCR820537 (1W) 316

Mahogany**: CCR822224B

Bella

Mahogany**: CCR822227

(1W)

3|6





(1D)

Provincial

Mahogany**: CCR820024B (1D)

Borrassa



Mahogany**: CCR81511 (1W)

Longford





Mahogany**: CCR820023 (1D, 1C)





Mahogany**: CCR820037 (1W)





Mahogany**: CCR822215 (1W) @6

Provincial





Mahogany**: CCR820028 (1D, 1C)

Longford



Mahogany**: CCR822223 (1D, 1C)



Mahogany**: CCR820524B (1D)

Borrassa



Mahogany**: CCR81512 (1W) 36

Provincial



Mahogany**: CCR822228 (1D, 1C)



Lucerna



Mahogany**: CCR820522 (1D, 1C) 36

Founders Collection

Lucerna





Mahogany**: CCR820022 (1D)







Mahogany**: CCR820032 (1D, 1C)





Mahogany**: CCR820530XN





Mahogany**: CCR820030XN











Lucerna



Mahogany: CCR820532** (1D, 1C)

Low-E



Mahogany**: CCR822220-LE 3|6

Classic Craft. 8'0" 2/3-Glass Options

All doors available in



Additional sizes available where noted.

Кеу

	No Stile Lines
	Flush-Glazed Glass
\wedge	with Detailed Sticking (FG)
0	Flush-Glazed Glass
•	with Square Sticking (FG)
	20-Minute Fire-Rated
	Vented Sidelite
	Black Nickel
	Brushed Nickel
1A	
	Wrought Iron
XK	Reeded
XG	Geometric
	Satin Etch
XC	Chord
XJ	Chinchilla
XR	Rainglass
XN	Granite
LE	Low-E
CL	Clear
SDL	Simulated Divided Lites
	4.25" Flat Simulated Divided Lites
	5.5" Flat Simulated Divided Lites
SDLF5	4.25" & 5.5" Flat Combo
	Simulated Divided Lites
SDLF6	1.6" Flat Simulated Divided Lites
DDBF3	4.25" Flat Door Divider Bars
DDBF4	5.5" Flat Door Divider Bars
	4.25" & 5.5" Flat Combo Door Divider Bars
GBG	Grilles Between Glass
RG	Removable Wood Grilles
FXG	Fixed Grilles
FF	Flat Frame
66	6'6" Height in Select Sizes
70	7'0" Height in Select Sizes
50	5'0" Width Solution
20	Available in 2'0" Width
24	Available in 2'4" Width
26	Available in 2'6" Width
2 8	Available in 2'8" Width
2 10	Available in 2'10" Width
30	Available in 3'0" Width
36	Available in 3'6" Width
10	Available in 10" Width
12	Available in 12" Width
14	Available in 14" Width
6	WBDR Options
	WBDR / HVHZ Options
7	

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic. Note: Product images show exterior side of sidelite.

Founders Collection

Privacy / Low-E

Mahogany** CCM8302L(_)-SDLF6 \circleloc | CCM8302R(_)-SDLF6 \circleloc (XC, XN, XR, XE) (XC, XN, XR, XE) CCM8302R-LE () CCM8302L-LE ()



Mahogany*
 CCM8304L(_)-SDLF6 (XC, XN, XR, XE)
 CCM8304R(_)-SDLF6 (XC, XN, XR, XE)





CCM8301CAL(_) () (XC, XN, XR, XE) CCM8301CAL-LE 🛆



CCM8301CAR(_) \(\lambda) (XC, XN, XR, XE) CCM8301CAR-LE 🛆





Mahogany** CCM8305CAL(_)-SDLF6 \circlel CCM8305CAR(_)-SDLF6 \circlel (XC, XN, XR, XE) (XC, XN, XR, XE) CCM8305CAL-SDLF6LE
CCM8305CAR-SDLF6LE



Mahogany**

CCM8303L(_)-SDLF6 \circleloc CCM8303R(_)-SDLF6 \circleloc

CCM8303L-SDLF6LE
CCM8303R-SDLF6LE

(XC, XN, XR, XE)


(XC, XN, XR, XE)

Privacy / Low-E SDL

Privacy / Low-E SDL



Classic Craft. 8'0" Craftsman Options







Кеу

	SDLF6 1.6" Flat Simulated
Flush-Glazed Glass	Divided Lites
with Detailed Sticking (FG)	DDBF34.25" Flat Door Divider Bars
O Flush-Glazed Glass	DDBF45.5" Flat Door Divider Bars
with Square Sticking (FG)	DDBF54.25" & 5.5" Flat Combo
20-Minute Fire-Rated	Door Divider Bars
Vented Sidelite	GBG Grilles Between Glass
1DBlack Nickel	RGRemovable Wood Grilles
1CBrushed Nickel	FXG Fixed Grilles
1ABrass	FFFlat Frame
1W Wrought Iron	666'6" Height in Select Sizes
XK	10" Height in Select Sizes
XGGeometric	505'0" Width Solution
XESatin Etch	20 Available in 2'0" Width
XC Chord	24Available in 2'4" Width
XJChinchilla	26 Available in 2'6" Width
XR	28Available in 2'8" Width
XNGranite	and Available in 2'10" Width
LELow-E	 Available in 3'0" Width
CL Clear	36Available in 3'6" Width
SDL Simulated Divided Lites	Available in 10" Width
SDLF3 4.25" Flat Simulated	12Available in 12" Width
Divided Lites	4Available in 14" Width
SDLF4 5.5" Flat Simulated	9WBDR Options
Divided Lites	6WBDR / HVHZ Options
SDLF5 4.25" & 5.5" Flat Combo Simulated Divided Lites	

Note: Product images show exterior side of door. *Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Artíssa Collection

Privacy / Low-E SDL



Fir*:CCA8220XR-SDL
CCA8220-SDLLE

Privacy / Low-E SDL



Fir*: CCA8230XR-SDL CCA8230-SDLLE

Privacy / Low-E



Fir*: CCA8210XR 🌢 CCA8210-LE

Privacy / Low-E SDL



Fir*: CCA87200XR-SDL 🌢 CCA87200-SDLLE 36 ONLY

Privacy / Low-E SDL




Fir*: CCA87300XR-SDL
CCA87300-SDLLE
GONLY

Privacy / Low-E



Fir*: CCA87100XR
CCA87100-LE 36 ONLY

Classic Craft. 8'0" Solid Panel Options



Кеу

Artíssa Collection



2-Panel Square Top Shaker



Fir*: CCA81127-DDBF4

Z-Brace – Left



Fir*: CCA84915L-DDBF3

Double-Z – Left



Fir*: CCA84925L-DDBF5



Fir*: CCA84905-DDBF3

Z-Brace – Right

Fir*: CCA84915R-DDBF3

4-Panel Craftsman Shaker







Double-X



Fir*: CCA84935-DDBF5

2-Panel Square Top





Visionary Collection 1-Panel Shaker

3-Panel Shaker



Fir*: CCA81100



Fir*: CCA81133-DDBF4





Fir*: CCA84945-DDBF5

Founders Collection 2-Panel Plank Soft Arch





Note: Product images show exterior side of door. *Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

48

8'0" Solid Panel Options

4-Panel Square **Top Shaker**



Fir*: CCA81147-DDBF5

2-Panel Soft Arch



Mahogany**: CCR8200

4-Panel Shaker



Fir*: CCA81145-DDBF4

6-Panel Shaker



Fir*: CCA81166-DDBF5

Visionary Collection

8' Flush Panel

Walnut: CCW81000 216 218 210 316



8' 901 Design - Right



Walnut: CCW8901R 2|6 2|8 210 3|6

8' 904 Design - Left



Walnut: CCW8904L 2|6 2|8 210 3|6

8' 906 Design - Right





Walnut: CCW8900L 216 218 210 316

8' 902 Design - Left



Walnut: CCW8902L 216 218 210 316

8' 904 Design - Right



Walnut: CCW8904R 216 218 210 316

8' 907 Design - Left



Walnut: CCW8907L 216 218 210 316



Walnut: CCW8900R 216 218 210 316

8' 902 Design - Right



Walnut: CCW8902R 2|6 2|8 210 3|6

905 Design







8' 903 Design



Walnut: CCW8903 26 28 210 36

8' 906 Design - Left



8' 907 Design - Right




Walnut: CCW8907R 216 218 210 316






Top and Bottom Left Images: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL

Classic Craft. Sidelite Options



Кеу

6'8" Options







Cambridge







Fir*: CCA1423SL 🌢 (1D, 1C)

Mahogany**: CCR1423SL (1D, 1C)




Mahogany**: CCR3407SL (1D, 1C)

Lucerna









Privacy / Low-E



8'0" Options



Direct Set: DRS82131SL

Privacy / Low-E

Fir*: CCA3500XRSL
CCA3500SL-LE



Note: Product images show exterior side of sidelite.

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

52

Removable Grilles




0ak: CC2025SL-RGLE 🌢

Homeward



Fir*: CCA211SL 🌢 (1D, 1C)



Fiber-Classic。 & Smooth-Star。 Door Options

Fiber-Classic. Doors



Get the look and feel of rich Mahogany or warm Oak with excellent performance and value. Fiber-Classic_® Mahogany Collection™



Fiber-Classic.

Oak Collection





*Comparison of fiberglass to wood doors (both without glass). Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Smooth-Star. Doors

Get a smooth surface for plenty of color options with exceptional performance and value.

Fiber-Classic. & Smooth-Star. Doors

1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

3


An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

Ourability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

A R-Values

Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.*



Decorative Glass

Fiber-Classic, Smooth-Star, Pulse & Steel Glass



Decorative Glass



Brushed

Privacy Rating

Avonlea_®

Nickel





Wrought Iron







Riserva



Concorde[™]

Black Nickel



Privacy Rating



Axis.

Black Nickel



Frosted Images

(8) 1



Privacy Rating Privacy Rating (7) 10



(8) 1


Maple Park.



Brushed

Nickel

Black Nickel





Saratoga_™

Brushed

Privacy Rating

Nickel



Black Nickel

Brushed Nickel









Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Kensington_m **Pembridge**_{TM} Black Nickel Black Nickel Brushed Brushed Brass Nickel Nickel Privacy Rating 1 Privacy Rating (8) 10 (6) 10



Specialty Glass







Privacy Rating 1





Screen Vented







Privacy Rating 1

Privacy Rating

Satin Etch (XE)



(10

Low-E Internal Blinds

Chord (XC)

Privacy Rating



Divided Lites

Simulated Divided Lites (SDL)







Contour (20 mm / 0.787 in.) (18 mm / 0.708 in.)

*Available in Special Quote Program.

Low-E Glass



(8) 10

In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

59

Smooth Smooth Grained (28.6 mm / 1.125 in.) (88.9 mm / 3.5 in.) **GBG Color Options** White Almond Bronze Black Tan* Stone*

Black GBGs available in select grid patterns.



Fixed Grilles (FXG)



Grilles Between Glass (GBG)

Fiber-Classic. & Smooth-Star. **Full Glass Options**

All doors available in



Additional sizes available where noted.



Fiber-Classic Mahogany, Saratoga Glass, Door – FCM905

Key

 Mo Stile Lines Instruction Flush-Glazed Glass with Detailed Sticking (FG) 	SDLF2 3.5" Flat Simulated Divided Lites GBG Grilles Between Glass
O Flush-Glazed Glass with Square Sticking (FG)	RG Removable Wood Grilles
O 20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66
1D Black Nickel	7'0" Height in Select Sizes
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	💷 Available in 2'10" Width
XC Chord	Image: Available in 3'0" Width
XJ Chinchilla	36 Available in 3'6" Width
XR Rainglass	Available in 10" Width
XN Granite	2 Available in 12" Width
LELow-E	💁 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Blackstone		
	0ak: FC108 (1D, 1C) 26 218 210 710	
	Smooth: S6002 (1D, 1C) 26 28 210 66 70	

Mahogany: FCM108 (1D, 1C) 2|8 2|10


Crystalline 0ak: FC16 (1D, 1C) 2|8 2|10 7|0 Smooth: S916 (1D) 218 210 66 70

Mahogany: FCM16 (1D, 1Č) 2|8

Sedona



218 210 616 710



Blackstone		
	0ak: FC310 ■ (1D, 1C) 216 218 210 616 710	
	Smooth: S310 ■ (1D, 1C) 28 210 36 66 70	
Mahogany: FCI	W310	

Mahogany: FCM310 ((1D, 1C) 26 28 210 66 70



(1D, 1Č) 218 210 66 70


Smooth: S241

Sedona

(1D, 1C) 218 210 36 66 70



Maple Park



Maple Park



Mahogany: FCM1006 (1D, 1C)



Saratoga 0ak: FC6093 🖿 (1D, 1C) Smooth: S6093 (1D, 1C) 2|8 3|6 Mahogany: FCM6093 (1D, 1Č) 210 66 70

Concorde





(1D, 1C, 1A) 26 28 210 66 70



Concorde

Smooth: S6095 (1D, 1C) 2|8 3|6





60 Note: Product images show exterior side of door.

Full Glass Options

Avonlea



Smooth: S962 (1D) 2|8 2|10 7|0

Wellesley



0ak: FC104 (1D, 1C, 1A) 26 28 210 70 Smooth: S155 (1D, 1C, 1A) 26 28 210 66 70

Mahogany: FCM104 (1D, 1C, 1A) 2|8 2|10

Kensington



(1D, 1C) 2|8 2|10 Smooth: S160 (1D, 1C) 2|8 2|10 7|0

Mahogany: FCM148 (1D, 1C) 2|8 2|10

Oak: FC148

Kensington

Mahogany: FCM6094 (1D, 1C, 1A) 26 28 210 66 70

Avonlea

Smooth: S1027 🔳

Wellesley

(1D)

28 36



Smooth: S626 (1D, 1C) 28 210 36 70

Mahogany: FCM626 (1D, 1C) 218 210 616 710

Privacy / Low-E / Clear

Oak: FC10(_)

(XK, XE, XR)

FC10-LE

FC10

2|8



Mahogany:

(XK, XE, XR)

FCM10(_)

FCM10-LE

FCM10 2|8

Smooth: S118(_) (XK, XE, XR) 218 210 70 Smooth: S118XC 2|8 2|10 6|6 7|0 S118-LE S118 26 28 210 70

Privacy / Low-E / Clear



FCM1283-LE FCM1283

0ak: FC6094 🔳

216 218 210 616 710

Smooth: S6094

(1D, 1C, 1A)

(1D, 1C)


2|8 3|6



(1D, 1C) 2|8 2|10 6|6 7|0

0ak: FC626 🔳

EnLiten_™ Flush-Glazed Designs



Full Glass Options



Fiber-Classic. & Smooth-Star. **Full Glass Options**

All doors available in



Additional sizes available where noted.

Key

	No Stile Lines
	Flush-Glazed Glass
	with Detailed Sticking (FG)
۵	Flush-Glazed Glass
	with Square Sticking (FG)
@	20-Minute Fire-Rated
•	Vented Sidelite
1D	Black Nickel
1C	Brushed Nickel
1A	Brass
1W	Wrought Iron
XK	Reeded
XG	Geometric
XE	Satin Etch
XC	Chord
XJ	Chinchilla
XR	Rainglass
XN	Granite
LE	Low-E
CL	Clear
SDL	1.125" Simulated
	Divided Lites
SDLF1	1.125" Flat Simulated
	Divided Lites
SDLF2	3.5" Flat Simulated
000	Divided Lites Grilles Between Glass
	Removable Wood Grilles
	Fixed Grilles
	Flat Frame
	6'6" Height in Select Sizes 7'0" Height in Select Sizes
	5'0" Width Solution
	Available in 2'0" Width
	Available in 2'4" Width
	Available in 2'6" Width
	Available in 2'8" Width
-	Available in 2'10" Width
	Available in 3'0" Width
	Available in 3'6" Width
	Available in 10" Width
	Available in 12" Width
	Available in 14" Width
6	WBDR Options
	WBDR / HVHZ Options
,	

Note: Product images show exterior side of door.

Fiber-Classic. & Smooth-Star. 3/4-Glass Options

All doors available in



Additional sizes available where noted.



Key

-	
 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated Vented Sidelite Black Nickel Brushed Nickel Brushed Nickel Brass Wrought Iron XK Reeded Geometric XE Satin Etch XC Chord XJ Chinchilla XR Rainglass XN Granite LE Lew-E 	SDLF2 3.5" Flat Simulated Divided Lites GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6.6"6" Height in Select Sizes 70
XN Granite	
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	6 WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Blackstor	1e	
	0ak: FC765 (1D, 1C) 28 210	
	Smooth: S975 (1D, 1C) (10) (10) (10) (10) (10) (10) (10) (10	

Mahogany: FCM765 (1D, 1C) 218 210



(1D, 1C) 213 210







Oak: FC770 (1D, 1C)



Sedona Smooth: S91 (1D, 1C) (1B 210 Oak: FC773 (1D, 1C) 218 210

Salinas Smooth: S6010 (1W) 2|8 2|10 Oak: FC775 (1W) 2|8 2|10

Maple Park



Maple Park Smooth: S6103





Saratoga Oak: FC907 (1D, 1C) 2|8 2|10 (1D, 1C) 218 210 Mahogany: FCM907 (1D, 1C) 213 210

Saratoga



Smooth: S982 (1D, 1C) 2|8 2|10

Oak: FC776 (1D, 1C) 218 210



Riserva



Oak: FC529 (1W) 2|8 2|10



Kensington



(1D, 1C) 218 210

Avonlea



Oak: FC764 (1D) 2|8 2|10

Mahogany: FCM764 (1D) 2|8 2|10

Avonlea



Oak: FC769 (1D) 2|8 2|10

Wellesley



(1D, 1C, 1A) 2|8 2|10 Smooth: S6091 (1D, 1C, 1A)

2|8 2|10

Oak: FC147

Mahogany: FCM147 (1D, 1C, 1A) 218 210

Wellesley



Smooth: S983 (1D, 1C, 1A) 2|8 2|10

Smooth: S97

(1D, 1C, 1A) (1B, 210

Concorde



(1D, 1C, 1A) (18 (10) Smooth: S912 (1D, 1C, 1A) 2|8 2|10

Oak: FC912

Mahogany: FCM912 (1D, 1C, 1A) (1B) (10)



Concorde

0ak: FC780 (1D, 1A)

Axis



Smooth: S1647 (1D) 2|8 2|10

Axis



Smooth: S1646 (1D) 218 210

3/4-Glass Options



Internal Blinds



Privacy / Low-E / Clear Smooth: S90(_) (XK, XE, XJ, XR) S90-LE S90 2|8 2|10 Oak: FC766(_) (XK, XR) FC766-LE

Internal Blinds

Smooth: S5425-RTLE 218 210

GBG Flat White



Smooth: S2103-SDLLE S2103-SDL 🌢 2|6 2|8 2|10

GBG Flat White

Smooth: S2103-GBGFWLE S2103-GBGFW 🌢 2|6 2|8 2|10

GBG Flat Bronze

Smooth: S2103-GBGFBLE

2|6 2|8 2|10

EnLiten_™ Flush-Glazed Designs



Smooth: S2200-LE 🌢 S2200 🌢 2|6 2|8 2|10

GBG Flat White

Smooth: S682-RTLE



Smooth: S2106-GBGFWLE 2|8 2|10

Smooth: S1089-GBGFWLE 2|8 2|10


GBG Flat White

GBG Flat White



Smooth: S82-GBGFW 2|8 2|10

Smooth: S92-GBGFW 2|8 2|10



Fiber-Classic. & Smooth-Star. 1/2-Glass Options

All doors available in



Additional sizes available where noted.



Key

No Stile Lines	SDLF2 3.5" Flat Simulated
Flush-Glazed Glass	Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
🐼 20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66 6'6" Height in Select Sizes
1D Black Nickel	7'0" Height in Select Sizes
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	210 Available in 2'10" Width
XC Chord	Image: Available in 3'0" Width
XJ Chinchilla	In 3'6" Width Available in 3'6" Width
XR Rainglass	 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	9 WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Blackstone



0ak: FC109 (1D, 1C) 2|6 2|8 2|10 Smooth: S6000 (1D, 1C) 2|6 2|8 2|10 7|0

Mahogany: FCM109 (1D, 1C) 218 210

Blackstone



Smooth: S6032 (1D, 1C) 218 210

Mahogany: FCM6032 (1D, 1C) 28 210

Blackstone



(1D, 1C) 218 210

Smooth: S6052 (1D, 1C) 2|8 210

Mahogany: FCM6052

Blackstone



Smooth: S972 (1D, 1C) 218 210

Blackstone



Smooth: S6013 (1D, 1C) 218 210

Crystalline



0ak: FC45 (1D, 1C) **2B 210** Smooth: S926 (1D, 1C) 2|8 2|10 7|0

Mahogany: FCM45 (1D, 1C) 218 210

Crystalline



Smooth: S6027 (1D, 1C) 218 210

Mahogany: FCM6027 (1D) 2|8 2|10

Crystalline



Smooth: S6047 (1D, 1C) 218 210



Crystalline 1 THE



Smooth: S38 (1D, 1C) 218 210

Sedona







Sedona

SERVICE

Smooth: S35

(1D, 1C)

2|8 2|10



Sedona

Oak: FC101

(1D, 1C)





Smooth: S6025

(1D, 1C)



Mahogany: FCM6031

(1W)

2|8 2|10



Saratoga Oak: FC906 (1D, 1C) 2|8 2|10 7|0 Smooth: S213 (1D, 1C) 2|6 2|8 2|10 7|0 Mahogany: FCM906

(1D, 1Č)

2|8 2|10

Avonlea

Smooth: S968

218 210 70

(1D)

Saratoga

Avonlea

Smooth: S966

(1D)

2|8 2|10



Salinas

Mahogany: FCM6045

(1D, 1Č)

2|8 2|10



Smooth: S6045

(1D, 1C)

2|8 2|10

Salinas





Mahogany: FCM6051

Smooth: S973 (1W) 2|8 2|10



(1W)

2|8 2|10



Maple Park



Smooth: S6106 (1D, 1C) 218 210



(1W) 2|8 2|10





Mahogany: FCM901 (1D, 1C) 2|8 2|10

Maple Park

Smooth: S6104

(1D, 1C) 218 210



Mahogany: FCM6107 (1D, 1C) 2|8 2|10

Smooth: S964 (1D) 218 210 70

Smooth: S6107 (1D, 1C) 218 210 710

Smooth: S41 (1D, 1C) 2|8 2|10

1

In the local division of the local divisione

atte

Smooth: S291 (1D, 1C) 218 210

Wellesley Smooth: S6030 (1D, 1C, 1A) 218 210 710 Mahogany: FCM6030 (1D, 1C, 1A) 218 210

Wellesley



Mahogany: FCM6050 (1D, 1C, 1A) 218 210





Saratoga







Avonlea



Smooth: S970 (1D) 2|8 2|10

Saratoga



Smooth: S6049 (1D, 1C) 2|8 2|10

Mahogany: FCM6049 (1D, 1Č) 2|8 2|10

Wellesley



Oak: FC105 (1D, 1C, 1A) 216 218 210 710 Smooth: S214 (1D, 1C, 1A) 26 28 210 70

Mahogany: FCM105 (1D, 1C, 1A) 28 210

Wellesley



Smooth: S42 (1D, 1C, 1A)

Fiber-Classic. & Smooth-Star. 1/2-Glass Options

All doors available in



Additional sizes available where noted.

Key

No Stile Lines
Line Flush-Glazed Glass
with Detailed Sticking (FG)
O Flush-Glazed Glass
with Square Sticking (FG)
O 20-Minute Fire-Rated
Vented Sidelite
1D Black Nickel
1C Brushed Nickel
1A Brass
1W Wrought Iron
XK Reeded
XG Geometric
XE Satin Etch
XC Chord
XJ Chinchilla
XR Rainglass
XN Granite
LELow-E
CL Clear
SDL 1.125" Simulated
Divided Lites
SDLF1 1.125" Flat Simulated
Divided Lites
SDLF2 3.5" Flat Simulated
D' ' L LL'I
Divided Lites
GBG Grilles Between Glass
GBG Grilles Between Glass
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 69
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6 ¹⁶
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6 ¹⁶
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6 ¹⁶
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6 ¹⁶
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6 ¹³
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF
GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF

Note: Product images show exterior side of door.



Smooth: S292 (1D, 1C, 1A) 218 210







(1D, 1C, 1A) 218 210

Concorde

Smooth: S430

(1D, 1C, 1A)





Kensington

Mahogany: FCM149

Frosted Images

(1D, 1C) 218 210

Smooth: S6026

(1D, 1C, 1A)

2|8 2|10 7|0

Oak: FC149

2|8 2|10 7|0

2|8 2|10 7|0

Smooth: S161 (1D, 1C)

(1D, 1C)



(1D, 1C, 1A) 218 210

Kensington

Mahogany: FCM6036

Frosted Images

(1D, 1C) 218 210

Smooth: S6036

(1D, 1C)

2|8 2|10 7|0

Mahogany: FCM6046



Mahogany: FCM6021-LE

Privacy / Low-E / Clear

Smooth: S6021(_)

(XK, XE, XR)

S6021-LE

2|8 2|10 7|0

2|8

S6021





Smooth: S289(_) (XK, XE, XR) S289-LE S289 218 210



FCM6055-RT 2|8 2|10



Mahogany: FCM6055-RTLE





Smooth: S37

(1D, 1C, 1A) 218 210

Kensington



Kensington

Mahogany: FCM6056 (1D, 1C) (1B, 210)

Smooth: S43 (1D, 1C) (18 (10)

The state of the s

Frosted Images



Smooth: S6043 2|8 2|10



Smooth: S34 2|8 2|10

Frosted Images

Smooth: S206E

2|8 2|10 7|0



FC62 S206-LE S206



Privacy / Low-E / Clear Oak: FC62-LE 26 28 210 70 Smooth: S206(_) (XK, XE, XR)

Mahogany: FCM62-LE

FCM6021

1

Smooth: S30(_)

(XK, XE, XR)

S30-LE

S30 218 210

2|8 2|10





Mahogany: FCM6041-LE

FCM6041

Privacy / Low-E / Clear

Smooth: S6041(_)

(XK, XE, XR)

S6041-LE

S6041

2|8 2|10







Screen Vented

Smooth: S243 2|8 2|10 7|0



Smooth: S6023 2|8 2|10 7|0



26 28 210 70







Privacy / Low-E / Clear



🛛 0ak: FC670-LE 🔳 FC670 🗖

Smooth: S104(_) 🔳 (XK, XE, XR) S104-LE 2|8 S104 🔳 2|8

Mahogany: FCM670-LE FCM670

Internal Blinds



26 28 210 70 Smooth: S132-RTLE S132-RT 2|8 2|10 7|0

Oak: FC678-RTLE

FC678-RT

Mahogany: FCM678-RTLE FCM678-RT 2|8 2|10

Internal Blinds



0ak: FC116-RTLE 218 210 710 FC116-RT 26 28 210 70 Smooth: S131-RTLE

S131-RT 2|8 2|10 7|0

Mahogany: FCM116-RTLE FCM116-RT 26 28 210 70

Screen Vented



Smooth: S6034 2|8 2|10 7|0

Fiber-Classic. & Smooth-Star. 1/2-Glass Options

All doors available in



Additional sizes available where noted.

Key

Note: Product images show exterior side of door.

Screen Vented

Smooth: S6054 218 210



Screen Vented





Smooth: S262-GBGFWLE S262-GBGFW 26 28 210 70

GBG Contoured White

GBG Flat White

GBG Contoured White

Smooth: S262-GBGCWLE

S262-GBGCW 26 28 210 70

Fixed Grilles

Smooth: S6022-FXGLE

GBG Flat White

S6022-FXG

2|8 2|10 7|0

GBG Flat White



2|8 2|10



Smooth: S1407-GBGFWLE 2|8 2|10

Fixed Grilles



Smooth: S262-FXGLE

S262-FXG

26 28 210 70

Smooth: S137 ■ 218 210 70



Smooth: S6022-GBGFWLE S6022-GBGFW 2|8 2|10 7|0

GBG Flat White

GBG Flat White



Smooth: S6042-GBGFWLE S6042-GBGFW 2|8 2|10

GBG Contoured White



Smooth: S6042-GBGCWLE S6042-GBGCW 2|8 2|10





Smooth: S6022-GBGCWLE

S6022-GBGCW

2|8 2|10 7|0

Smooth: S6042-FXGLE S6042-FXG



Smooth: S32-GBGCWLE S32-GBGCW 2|8 2|10



Smooth: S32-FXGLE S32-FXG 2|8 2|10

GBG Flat White



Smooth: S1408-GBGFWLE 2|6 2|8 2|10 7|0

GBG Flat White

Smooth: S32-GBGFWLE

S32-GBGFW

2|8 2|10



Smooth: S1405-GBGFWLE 2|8 2|10 7|0

GBG Flat Almond





Smooth: S807-GBGFA

Smooth: S807-FXGLE S807-FXG 2|8 2|10

EnLiten_m Flush-Glazed Designs Low-E



Smooth: S2100-LE 2|6 2|8

GBG Contoured White

72

GBG Flat White



Smooth: S807-GBGFWLE S807-GBGFW 2|8 2|10

Low-E / Clear



Smooth: S105-LE S105 🔳 216 218 210 710

Fiber-Classic. & Smooth-Star. 1/2-Glass Options

All doors available in



Additional sizes available where noted.

Key

No Stile Lines
Line Flush-Glazed Glass
with Detailed Sticking (FG)
O Flush-Glazed Glass
with Square Sticking (FG)
O 20-Minute Fire-Rated
Vented Sidelite
1DBlack Nickel
1C Brushed Nickel
1ABrass
1W Wrought Iron
XK Reeded
XG Geometric
XE Satin Etch
XC Chord
XJ Chinchilla
XR Rainglass
XN Granite
LELow-E
CL Clear
SDL 1.125" Simulated
Divided Lites
SDLF1 1.125" Flat Simulated
Divided Lites
SDLF2 3.5" Flat Simulated
Divided Lites
GBG Grilles Between Glass
RG Removable Wood Grilles
FXG Fixed Grilles
FF Flat Frame
666
7'0" Height in Select Sizes
50
20 Available in 2'0" Width
24 Available in 2'4" Width
26 Available in 2'6" Width
28 Available in 2'8" Width
and Available in 2'10" Width
30 Available in 3'0" Width
³⁶ Available in 3'6" Width
Available in 10" Width
2 Available in 12" Width
4 Available in 14" Width
9 WBDR Options
9 WBDR / HVHZ Options

Note: Product images show exterior side of door.

Fiber-Classic. & Smooth-Star. **Oval Options**

All doors available in



Additional sizes available where noted.



Fiber-Classic Oak Collection, Wellesley Glass, Door – FC796, Sidelites – FC104SL

Key

-	
 No Stile Lines Flush-Glazed Glass 	SDLF2 3.5" Flat Simulated Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66
1D Black Nickel	70
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	210 Available in 2'10" Width
XC Chord	🗐 Available in 3'0" Width
XJ Chinchilla	III Available in 3'6" Width
XR Rainglass	10 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	6 WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Blackstone	
Oak: FC164 (1D, 1C) 20 210 Smooth: S6085 (1D, 1C) 20 210	
Mahogany: FCM164 (1D, 1C)	



0ak: FC915 (1D, 1C) **218 210**

2|8 2|10

Smooth: S6084 (1D, 1C)

Concorde

Mahogany: FCM915 (1D, 1C) 28 210

Smooth: S999 (1D, 1C) 2|8 2|10 Oak: FC796 (1D, 1C, 1A) (1B) (10)

Oak: FC797

Kensington **Oak: FC151** (1D, 1C) **213 210** Smooth: S163 (1D, 1C) 2|8 2|10 Mahogany: FCM789 (1D, 1C) 28 210

Blackstone Smooth: S997 (1D, 1C) 2|8 2|10 Oak: FC794 (1D, 1C) 28 210



Concorde Smooth: S1000 (1D, 1C, 1A) (1B, 210

(1D, 1C, 1A) (1B, 210




Fiber-Classic. & Smooth-Star. **Craftsman Options**

All doors available in



Additional sizes available where noted.



Key

 No Stile Lines Flush-Glazed Glass with Detailed Sticking (F Flush-Glazed Glass with Square Sticking (FG 20-Minute Fire-Rated 20-Minute Fire-Rated Vented Sidelite 1D Black Nickel 1C Brushed Nickel 1A Brass 1W Wrought Iron XK Reeded XG Geometric XE Satin Etch YC 	RG
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	and Available in 2'10" Width
XC Chord	Image: Available in 3'0" Width
XJ Chinchilla	Image: Available in 3'6" Width
XR Rainglass	😶 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	6 WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Sedona



Smooth: S604 (1D) 2|8 2|10



Maple Park



Smooth: S609 (1D, 1C) 2|8 210

Mahogany: FCM609 (1D, 1C) 28 210

Saratoga

Smooth: S602 (1D, 1C) 218 210

Smooth: S1650

(1D) 2|8 2|10

Mahogany: FCM602

Mahogany: FCM1650

(1D) 2|8 2|10



(1D) 2|8 2|10

Axis

Axis



Smooth: S2620-FF (1D) 218 210

Maple Park

Smooth: S2650-FF

(1D)

2|8 2|10

Sedona



Smooth: S2630-FF (1D, 1C) 28 210

Saratoga



Smooth: S2660-FF (1D, 1C) 218 210

EnLiten_™ Flush-Glazed Designs







Smooth: S2610(_)-FF (XG, XE, XC, XR) S2610-FFLE 2|8 2|10




Mahogany: FCM4816(_)-SDLF1 (XE, XC, XJ, XR) FCM4816-SDLF1 () 2|8 2|10





Fiber-Classic. & Smooth-Star. **Minimal Glass Options**



Key

-	
 No Stile Lines Flush-Glazed Glass 	SDLF2 3.5" Flat Simulated Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
0 20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66 6'6" Height in Select Sizes
1DBlack Nickel	10
1C Brushed Nickel	5 ¹⁰
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	210 Available in 2'10" Width
XC Chord	30 Available in 3'0" Width
XJ Chinchilla	36 Available in 3'6" Width
XR Rainglass	 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	14 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	6WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Blackstone		
	Smooth: S9343 (1D, 1C) 23 410	
Oak: FC80943 (1D, 1C) 21 3 210		

Maple Park Smooth: S9355 (1D, 1C) 2|8 2|10

Oak: FC80955 (1D, 1C) 218 210

Wellesley



Smooth: S9349 (1D, 1C, 1A) (1B, 1C, 1A)

Frosted Images



Crystalline **Smooth: S9341** (1D, 1C) **2**B **210**



Smooth: S9354 (1D, 1C) **21**8 **210**

Concorde

Smooth: S9347

(1D, 1C, 1A) (1B) (10)

GBG Flat White



GBG Flat Almond



Smooth: S93203-GBGFA 2|8 2|10

Fixed Grilles





Smooth: S93203-FXGLE 2|8 2|10 S93203-FXG







2|8 2|10

Fixed Grilles





Smooth: S236-FXG 2|8 2|10



Smooth: S93203-GBGFWLE S93203-GBGFW 210

Low-E / Clear



Smooth: S9320(_) (XE, XR) 2|8 2|10 S9320-LE S9320

Oak: FC80920-LE

Maple Park



Mahogany: FCM736 (1D) 2|8

Concorde



Smooth: S454 (1D, 1C, 1A)

Low-E / Clear



Smooth: S296-LE S296 2|6 2|8 2|10 7|0

Fixed Grilles



Smooth: S255-FXG 2|8 2|10


Pulse_® Options




Key

	SDLF2 3.5" Flat Simulated Divided Lites
Image: Flush-Glazed Glass	
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66 6'6" Height in Select Sizes
1D Black Nickel	70
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	210 Available in 2'10" Width
XC Chord	I Available in 3'0" Width
XJ Chinchilla	Available in 3'6" Width
XR Rainglass	10 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated	6 WBDR / HVHZ Options
Divided Lites	
SDLF1 1.125" Flat Simulated	
Divided Lites	

Ari






Línea


Blackstone



Mahogany: FCM1(L,C,R)BS (1D, 1C) 26 28 210










Mahogany: FCM1(L,C,R)BL (1D, 1C) 2|6 2|8 2|10



(1W) 26 28 210

Línea (Con't)





Echo

S4(L,C,R)CL

26 28 210 36

Privacy / Low-E / Clear

Privacy / Low-E / Clear



Smooth: S5(L,C,R)XE-FF S5(L,C,R)CL-FFLE S5(L,C,R)CL-LE S5(L,C,R)CL 26 28 210 36





Axis



Mahogany: FCM1(L,C,R)AX (1D) 2|6 2|8 2|10

Privacy / Low-E / Clear



Mahogany:

(XE, XC, XJ, XR)

FCM1(L,C,R)CL-LE FCM1(L,C,R)CL 2|6 2|8 2|10

Oak: FC1(L,C,R) (__) (XE, XC, XJ, XR, XK) FC1(L,C,R)CL-LE FC1(L,C,R)CL 2|6 2|8 2|10

Smooth: S1(L,C,R)XE-FF, XK-FF S1(L,C,R)(___) (XE, XC, XJ, XR, XK) S1(L,C,R)CL-FFLE S1(L,C,R)CL-LE FCM1 (L,C,R) (__) S1(L,C,R)CL 26 28 210 36

Privacy / Low-E / Clear



Smooth: S9(L,C,R)XE-FF S9(L,C,R)CL-FFLE S9(L,C,R)CL-LE S9(L,C,R)CL 26 28 210 36

Privacy / Low-E / Clear



Smooth: S8(L,C,R)XE-FF S8(L,C,R)CL-FFLE S8(L,C,R)CL-LE S8(L,C,R)CL 26 28 210 36



Fiber-Classic. & Smooth-Star. **Solid Panel Options**

All doors available in



Additional sizes available where noted.



Key

-			
	No Stile Lines Flush-Glazed Glass	SDLF2	. 3.5" Flat Simula Divided Lites
~	with Detailed Sticking (FG)	GBG	. Grilles Between
۵	Flush-Glazed Glass	RG	. Removable Wo
•	with Square Sticking (FG)	FXG	. Fixed Grilles
	20-Minute Fire-Rated	FF	. Flat Frame
•	Vented Sidelite	66	. 6'6" Height in S
1D	Black Nickel	70	. 7'0" Height in S
1C	Brushed Nickel	50	. 5'0" Width Solu
1A	Brass	20	Available in 2'0"
1W	Wrought Iron	24	Available in 2'4"
XK	Reeded		Available in 2'6"
XG	Geometric	-	Available in 2'8"
XE	. Satin Etch	-	. Available in 2'10
XC	. Chord		. Available in 3'0"
XJ	. Chinchilla		Available in 3'6"
XR	. Rainglass	-	Available in 10"
XN	Granite		Available in 12"
LE	Low-E		Available in 14"
CL	Clear		. WBDR Options
SDL	1.125" Simulated		WBDR/HVHZ
	Divided Lites	7	
SDLF1	1.125" Flat Simulated Divided Lites		

SDLF2	3.5" Flat Simulated Divided Lites
GBG	Grilles Between Glass
RG	Removable Wood Grilles
FXG	Fixed Grilles
FF	Flat Frame
66	6'6" Height in Select Sizes
70	7'0" Height in Select Sizes
50	5'0" Width Solution
	Available in 2'0" Width
214	Available in 2'4" Width
26	Available in 2'6" Width
2 8	Available in 2'8" Width
2 10	Available in 2'10" Width
30	Available in 3'0" Width
36	Available in 3'6" Width
	Available in 10" Width
	Available in 12" Width
	Available in 14" Width
6	WBDR Options
1	WBDR / HVHZ Options

2-Panel 3/4 Top Smooth: S93 2|8 2|10 0ak: FC809 213 210

2-Panel Square Top Smooth: S220* 218 210 70



Mahogany: FCM220 218 210

2-Panel Soft Arch





3-Panel



2-Panel Square Top Shaker

Mahogany: FCM31 218 210

3-Panel

Square Top

0ak: FC31 218 210



Smooth: S120* 218 210

2-Panel Plank Soft Arch



4-Panel Square Top




Craftsman Shaker



2-Panel

2-Panel Craftsman Smooth: S600 2|8 2|10 Mahogany: FCM600 218 210



Solid Panel Options

6-Panel



0ak: FC60* 2|8 2|10 Smooth: S210* 2|6 2|8 2|10 7|0

Mahogany: FCM60 218 210

Flush Panel



Mahogany: FCM1000 🔳

Fiber-Classic. & Smooth-Star. Sidelite Options



Fiber-Classic Mahogany Collection, Sedona Glass, Door – FCM131, Sidelites - FCM816SL, Transom - 19055T, Finish – Shale

Key

_	
No Stile Lines	SDLF2 3.5" Flat Simulated
Flush-Glazed Glass	Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
🐼	FF Flat Frame
Vented Sidelite	66 6'6" Height in Select Sizes
1D Black Nickel	10
1C Brushed Nickel	5 ¹⁰
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG	Available in 2'8" Width
XE Satin Etch	
	210 Available in 2'10" Width
XC Chord	 Available in 3'0" Width
XJ Chinchilla	36 Available in 3'6" Width
XR Rainglass	 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated	6WBDR / HVHZ Options
Divided Lites	
SDLF1 1.125" Flat Simulated	
Divided Lites	


Blackstone
Smooth: S6002SL (1D, 1C)
Oak: FC108SL

(1D, 1C)

10



0ak: FC46SL (1D, 1C)







Mahogany: FCM808SL • • (1D, 1C)



Sedona

Oak: FC816SL
Oak: FC816SL

(1D, 1C)

Smooth: S604SL

(1D, 1C)

Smooth: S604SL

Mahogany: FCM816SL

(1D, 1C)


Smooth: S604SL

(1D, 1C)

(1



n C (




Maple Park Oak: FC812SL •• (1D, 1C) (1D, 1C






Kensington Smooth: S160SL (1D, 1C) Oak: FC148SL (1D, 1C) To Kensington Oak: FC813SL •• (1D, 1C) G TO Smooth: S6132SL •• (1D, 1C) TO G TO Mahogany: FCM813SL •• (1D, 1C) TO G TO

Axis Smooth: S1652SL (1D) Oak: FC1652SL (1D) Oak: FC1652SL





84

Saratoga



Smooth: S154SL



Oak: FC905SL (1D, 1C)

Concorde

Smooth: S416SL

(1D, 1C, 1A)



Oak: FC910SL (1D, 1C, 1A)

Pembridge



Oak: FC6550SL (1D, 1C, 1A)

Privacy with SDLs




Mahogany: FCM12102XKSL-SDL

Saratoga



Mahogany: FCM815SL • • (1D, 1C) (10, 66 70

Concorde



Mahogany: FCM809SL • • (1D, 1C, 1A) 10 66 70

Pembridge




Oak: FC6500SL • • (1D, 1C, 1A) (10, 1C, 1A)

Mahogany: FCM6500SL • • (1D, 1C, 1A) (10, 6)6 (70)

Privacy with SDLs



Oak: FC18XKSL-SDL



EnLiten_™ Flush-Glazed Designs

Clear



14

Maple Park



Oak: FC901SL (1D) Smooth: S6101SL

(1D, 1C)

Mahogany: FCM901SL (1D)

Concorde



Smooth: S430SL (1D, 1C, 1A)

GBG Flat White



Smooth: S263SL-GBGFWLE S263SL-GBGFW

Fiber-Classic。 & Smooth-Star。 Sidelite Options

All sidelites available in



Additional sizes available where noted.

Key

Rey
No Stile Lines
Line Flush-Glazed Glass
with Detailed Sticking (FG)
O Flush-Glazed Glass
with Square Sticking (FG)
0
Vented Sidelite
1D Black Nickel
1C Brushed Nickel
1A Brass
1W Wrought Iron
XK Reeded
XG Geometric
XE Satin Etch
XC Chord
XJ Chinchilla
XR Rainglass
XN Granite
LELow-E
CL Clear
SDL 1.125" Simulated
Divided Lites
SDLF1 1.125" Flat Simulated
Divided Lites
SDLF2 3.5" Flat Simulated
Divided Lites
GBG Grilles Between Glass RG Removable Wood Grilles
FXG Fixed Grilles
FF Flat Frame
66
To
50
20 Available in 2'0" Width
Available in 2'4" Width
26 Available in 2'6" Width
218 Available in 2'8" Width
and Available in 2'10" Width
30 Available in 3'0" Width
36 Available in 3'6" Width
10 Available in 10" Width
12 Available in 12" Width
4 Available in 14" Width
9 WBDR Options
9 WBDR / HVHZ Options

Note: Product images show exterior side of sidelite.







Privacy / Low-E / Clear



S9CLSL ●



Smooth: S10(_)SL-FF • (XK, XE) S10CLSL-FFLE • S10CLSL-LE • S10CLSL •



Fiber-Classic. & Smooth-Star. 8'0" Full Glass Options

All doors available in



Additional sizes available where noted.



Key

 No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated 20-Minute Fire-Rated Vented Sidelite Black Nickel Brushed Nickel Brushed Nickel Brass Wrought Iron XK Reeded Geometric Satin Etch XC Chord XJ Chinchilla XR Rainglass XN Granite LE Low-E CL Clear SDL-1 1,125" Simulated 	SDLF2 3.5" Flat Simulated Divided Lites GBG Grilles Between Glass RG Removable Wood Grilles FXG Fixed Grilles FF Flat Frame 6
Divided Lites	

Note: Product images show exterior side of door & sidelite.

8'0" Full Glass Options

Internal Blinds



Smooth: S829-RTLE S829-RT 216 218 210

GBG Flat White



Smooth: S808-GBGFWLE

Low-E / Clear



Smooth: S818-LE S818 216 218 210

Internal Blinds



Smooth: S81225-RTLE ■ S81225-RT ■ 219 219 210 316

GBG Flat White



Smooth: S81208-GBGFWLE

Low-E / Clear



Smooth: S8140-LE S8140 C

Internal Blinds

EnLiten_™ Flush-Glazed Designs

Privacy / Low-E / Clear





Smooth: S8000(_) ▲ (XK, XE, XC, XJ, XR) S8000-LE ▲ S8000 ▲ 20 20 210

Smooth: S82600-LE () 26 28 210

Fiber-Classic. & Smooth-Star. 8'0" 3/4-Glass Options



Key

-		
● ⊘ 1D	No Stile Lines Flush-Glazed Glass with Detailed Sticking (FG) Flush-Glazed Glass with Square Sticking (FG) 20-Minute Fire-Rated Vented Sidelite Black Nickel Brushed Nickel	SDLF2 3.5" Flat Simulate Divided Lites GBG Grilles Between (RG Removable Wood FXG Fixed Grilles FF Flat Frame 66
1A 1W XK	Wrought Iron	40 Available in 2'0" V 43 Available in 2'4" V 46 Available in 2'6" V
XE XC		28 Available in 2'8" V 210 Available in 2'10" 30 Available in 3'0" V
		Image: Constraint of the second sec
	Clear 1.125" Simulated Divided Lites 1.125" Flat Simulated Divided Lites	WBDR Options WBDR / HVHZ O

1,1-1	1 1-	
	SDI F2	3.5" Flat Simulated
S		Divided Lites
ing (FG)	GBG	Grilles Between Glass
s	RG I	Removable Wood Grilles
ng (FG)	FXG	Fixed Grilles
ed	FF	Flat Frame
	66	6'6" Height in Select Sizes
		7'0" Height in Select Sizes
		5'0" Width Solution
	20	Available in 2'0" Width
		Available in 2'4" Width
		Available in 2'6" Width
	218	Available in 2'8" Width
	210	Available in 2'10" Width
		Available in 3'0" Width
	36	Available in 3'6" Width
	10	Available in 10" Width
	12	Available in 12" Width
	14	Available in 14" Width
	9	WBDR Options
	× ×	WBDR / HVHZ Options
- al		

Blackston	е
	Smooth: S894 (10, 10)
0ak: 81952P (1D, 1C) 213 210	



Smooth: S887 (1D, 1C) 218 210







Oak: 81956P (1D, 1C) **2B** 210





(1W) 2|8 2|10

Avonlea

Smooth: S85900

(1D) 2|8 2|10

Wellesley











Concorde



Internal Blinds



Oak: 81961P (1D, 1C) 218 210

GBG Flat White



Smooth: S8316-GBGFWLE

GBG Contoured White

GBG Flat White

2|8 2|10



Smooth: S882-GBGFWLE S882-GBGFW 2|8 2|10

GBG Contoured White



Smooth: S898-GBGCWLE 2|8 2|10



Smooth: S882-GBGCWLE S882-GBGCW 2|8 2|10

EnLiten_m Flush-Glazed Designs Privacy / Low-E / Clear



Smooth: S82200(_) ▲ (XK, XE, XR) S82200-LE S82200 ▲ 2|6 2|8 2|10

Axis

Smooth: S902

(1D, 1C) 218 210



(1D) 2|8 2|10

GBG Flat White

Smooth: S81646 (1D) 2|8 2|10





(XE, XC, XR)

Smooth: S880(_)

S880-LE S880 218 210

Oak: 81943P(__) (XE, XR) 81943P-LE 81943P 218 210

GBG Contoured White



Smooth: S881-GBGCWLE

Smooth: S881-GBGFWLE

Fixed Grilles



Smooth: S882-FXGLE S882-FXG 2|8 2|10

GBG Flat White




Smooth: S898-GBGFWLE

Fiber-Classic. & Smooth-Star. 8'0" 1/2-Glass Options



Additional sizes available where noted.



Key

92

-	
 No Stile Lines Flush-Glazed Glass 	SDLF2 3.5" Flat Simulated Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
🐼 20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66
1D Black Nickel	70
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	💷 Available in 2'10" Width
XC Chord	💷 Available in 3'0" Width
XJ Chinchilla	Image: Available in 3'6" Width
XR Rainglass	00 Available in 10" Width
XN Granite	2 Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated Divided Lites	6 WBDR / HVHZ Options
SDLF1 1.125" Flat Simulated Divided Lites	

Note: Product images show exterior side of door.

Blackstone Smooth: S81933P (1D, 1C) 218 210

Crystalline



Smooth: S81935P (1D, 1C) (1B, 210)

Sedona



Smooth: S81936P (1D, 1C) 218 210

Salinas



(1W) 2|8 2|10



Crystalline Smooth: S85907 (1D, 1C) 213 210

0ak: 81977P (1D, 1C) 218 210

Sedona



(1D, 1C) 218 210

Salinas



Smooth: \$86031 (1W) 218

Salinas



Pembridge



Maple Park Smooth: S85897 (1D, 1C) 2|8 2|10 Oak: 81982P (1D, 1C) 213 210

Avonlea

(1D, 1C)

2|8



Oak: 81974P (1D) 2|8 2|10

Wellesley

Saratoga Smooth: S85908 (1D, 1C) 218 210

Oak: 81981P (1D, 1C) 218 210

Smooth: S81941P (1D, 1C, 1A)

Concorde

Concorde



Oak: 81985P (1D)

Smooth: S837 (1D, 1C, 1A) 2B 210

8'0" 1/2-Glass Options

Maple Park



Smooth: S81939P (1D, 1C) 218 210

Saratoga



Smooth: S81938P (1D, 1C) 213 210

Wellesley

Smooth: S85909

(1D, 1C, 1A) (18 210

Oak: 81984P (1D, 1C, 1A)

Kensington



Smooth: S8149 (1D, 1C) (1B 210

Maple Park



Smooth: \$86107 (1D, 1C) 2|8

Saratoga



Smooth: \$86029 (1D, 1C) 2|8

Riserva



0ak: FC8579 (1W) 2|8 2|10

Kensington



Smooth: S86036 (1D, 1C) 28





Axis

(1D) 2|8 2|10

Internal Blinds

Smooth: S86035-RT

Privacy / Low-E / Clear

Smooth: \$830(_) (XE, XJ, XR) S830-LE

S830 2|8 2|10

S86035-RTLE

Oak: 81971PXR

GBG Flat White

Smooth: S8321-GBGFW

2|8 2|10

81971P-LE

81971P

2|8 2|10

2|8

Internal Blinds





Smooth: S8132-RTLE 2|8 2|10

Privacy / Low-E / Clear



Smooth: S86021(_) (XR, XE, XG)

Privacy



Smooth: S86022-SDL(_) (XR, XE, XG)





Axis



Internal Blinds

Smooth: S8971-RTLE 218 210

GBG Flat White

Smooth: S8318-GBGFWLE

GBG Flat White

Smooth: S8322-GBGFWLE

2|8 2|10

2|8 2|10



Privacy / Low-E / Clear



Smooth: S81929P(_) (XK, XE, XJ, XR) S81929P-LE S81929P 2|8 2|10

Low-E / Clear



Smooth: S8325-RG S8325-RGLE S8325-SDL S8325-SDLLE 2|8

GBG Flat White




Smooth: S832-GBGFW 2|8 2|10

Fiber-Classic. & Smooth-Star. 8'0" Craftsman Options

All doors available in



Additional sizes available where noted.



Key

with C Flush with	n-Glazed Glass Detailed Sticking (FG) n-Glazed Glass Square Sticking (FG) linute Fire-Rated ad Sidelite	GBG RG FXG FF	3.5" Flat Simulated Divided Lites Grilles Between Glass Removable Wood Grilles Fixed Grilles Flat Frame 6'6" Height in Select Sizes 7'0" Height in Select Sizes
1C Brus	hed Nickel		5'0" Width Solution
1A Bras	5	-	Available in 2'0" Width
1W Wrou	ight Iron		Available in 2'4" Width
XK Reed	led	-	Available in 2'6" Width
XG Geor	netric	-	Available in 2'8" Width
XE Satin	Etch		Available in 2'10" Width
XC Chor	d	-	Available in 3'0" Width
XJ Chine	chilla	36	Available in 3'6" Width
XR Raing	glass	10	Available in 10" Width
XN Gran	ite	12	Available in 12" Width
LELow-	E	14	Available in 14" Width
CL Clear			WBDR Options
SDL 1.125 Divid	" Simulated ed Lites		WBDR / HVHZ Options
	" Flat Simulated ed Lites		

8'0" Craftsman Options

Sedona



Smooth: S8604 (1D, 1C) 218 210

Saratoga



Smooth: S8602 (1D, 1C) 218 210

Privacy / Low-E



Smooth: S8600(_) (XE, XC, XJ, XR, XN) S8601-LE 2|8 2|10

Low-E SDL



Smooth: S84813-SDLF1LE \(\) 2|8 2|10

Maple Park



Smooth: S8609 (1D, 1C) 218 210





Smooth: S81650 (1D) 218 210

EnLiten_m Flush-Glazed Designs Low-E SDL




Smooth: S84812-SDLF1LE 🛆 2|8 2|10

Low-E



Smooth: S84810-LE () 218 210



Key

No Stile Lines	SDLF2 3.5" Flat Simulated
Flush-Glazed Glass	Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66
1DBlack Nickel	70
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	24 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	Available in 2'8" Width
XE Satin Etch	Available in 2'10" Width
XC Chord	30 Available in 3'0" Width
XJ Chinchilla	36 Available in 3'6" Width
XR Rainglass	0 Available in 10" Width
XN Granite	¹² Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated	9 WBDR / HVHZ Options
Divided Lites	
SDLF1 1.125" Flat Simulated	
Divided Lites	

Ari

Sedona



Saratoga

-

-

S83SG

(1D, 1C) 218 210 316

Smooth: S83SG-FF

Privacy / Low-E

Oak: FC83(_) (XK, XC, XJ, XN, XR)

FC83XE-FF

Smooth: S83(_)-FF (XK, XG, XE, XC, XR)

 S83(_)

 (XK, XE, XC, XJ, XR, XN)

 S83CL-FFLE

 S83CL-LE

 219
 319

SB3SN (1D, 1C) 218 210 316



Smooth: S83AX-FF S83AX (1D) 28 210 36

Línea

Privacy / Low-E / Clear



Echo

Privacy / Low-E / Clear

Privacy / Low-E / Clear




Smooth: S85(L,C,R)(_)-FF (XK, XE) S85(L,C,R)CL-FFLE S85(L,C,R)CL-LE S85(L,C,R)CL 20 20 210 210

Privacy / Low-E / Clear







Note: Product images show exterior side of door.

96

Privacy / Low-E / Clear



Smooth: S86(L,C,R)(_)-FF (XK, XE) S86(L,C,R)CL-FFLE S86(L,C,R)CL-LE S86(L,C,R)CL 20 20 20 20

Privacy / Low-E / Clear



Smooth: S811(L,C,R)(_)-FF (XK, XE) S811(L,C,R)CL-FFLE S811(L,C,R)CL-LE S811(L,C,R)CL 20 20 20 30

Fiber-Classic. & Smooth-Star. 8'0" Solid Panel Options



2-Panel Square Top		
Smooth: S8200 218 210		

2-Panel Craftsman





Oak: FC862 218 210

3-Panel

Smooth: S831 218 210

Smooth: S810 26 28 210

Flush Panel



Smooth: S81000 ■ 20 24 26 28 210 36

Fiber-Classic. & Smooth-Star. 8'0" Sidelite Options



Additional sizes available where noted.



Key

No Stile Lines	SDLF2 3.5" Flat Simulated
Flush-Glazed Glass	Divided Lites
with Detailed Sticking (FG)	GBG Grilles Between Glass
O Flush-Glazed Glass	RG Removable Wood Grilles
with Square Sticking (FG)	FXG Fixed Grilles
O 20-Minute Fire-Rated	FF Flat Frame
Vented Sidelite	66 6'6" Height in Select Size
1D Black Nickel	7'0" Height in Select Size
1C Brushed Nickel	50
1A Brass	20 Available in 2'0" Width
1W Wrought Iron	🕰 Available in 2'4" Width
XK Reeded	26 Available in 2'6" Width
XG Geometric	28 Available in 2'8" Width
XE Satin Etch	💷 Available in 2'10" Width
XC Chord	Image: Available in 3'0" Width
XJ Chinchilla	🐠 Available in 3'6" Width
XR Rainglass	0 Available in 10" Width
XN Granite	12 Available in 12" Width
LELow-E	4 Available in 14" Width
CL Clear	9 WBDR Options
SDL 1.125" Simulated	6 WBDR / HVHZ Options
Divided Lites	
SDLF1 1.125" Flat Simulated	
Divided Lites	

EnLiten_m Flush-Glazed Designs

Low-E



Smooth: S8000(_)SL (XK, XE) S8000SL-LE

Privacy / Low-E



Smooth: S81086(_)SL (XK, XE) S81086SL-LE 14 ONLY

Crystalline



Oak: 81953PSL (1D, 1C) Smooth: S888SL (1D, 1C)

Mahogany: FCM8105SL (1D, 1C)

Salinas



Oak: 81955PSL (1W) Smooth: S895SL

Mahogany: FCM884SL (1W)

(1W)

Privacy / Low-E



Smooth: S8601(_)SL (XK, XE) S8601SL-LE

Blackstone



Mahogany: FCM882SL (1D, 1C)

Sedona **0ak: 81954PSL** (1D, 1C)


Smooth: S887SL (1D, 1C)

Mahogany: FCM883SL (1D, 1C)

Maple Park



Mahogany: FCM887SL (1D, 1C)



Privacy / Low-E / Clear



Smooth: S86(_)SL-FF ● (XK, XE) S86CLSL-FFLE ● S86CLSL-LE ● S86CLSL-LE ●

Privacy / Low-E / Clear



Smooth: S811(_)SL-FF • (XK, XE) S811CLSL-FFLE • S811CLSL-LE • S811CLSL •

Fiber-Classic。 & Smooth-Star。 8'0" Sidelite Options

All sidelites available in




Additional sizes available where noted.

Key

пеу
No Stile Lines
Line Flush-Glazed Glass
with Detailed Sticking (FG)
O Flush-Glazed Glass
with Square Sticking (FG)
0
Vented Sidelite
1DBlack Nickel
1C Brushed Nickel
1A Brass
1W Wrought Iron
XK Reeded
XG Geometric
XE Satin Etch
XC Chord
XJ Chinchilla
XR Rainglass
XN Granite
LELow-E
CL Clear
SDL 1.125" Simulated Divided Lites
SDLF1 1.125" Flat Simulated
Divided Lites
SDLF2 3.5" Flat Simulated
Divided Lites
GBG Grilles Between Glass
RG Removable Wood Grilles
FXG Fixed Grilles
FF Flat Frame
66
10
50
20 Available in 2'0" Width
24 Available in 2'4" Width
26 Available in 2'6" Width
28 Available in 2'8" Width
200 Available in 2'10" Width
30 Available in 3'0" Width
36 Available in 3'6" Width
0 Available in 10" Width
2 Available in 12" Width
Available in 14" Width
9 WBDR Options
6 WBDR / HVHZ Options

Note: Product images show exterior side of sidelite.

Steel Options



Key

	No Stile Lines
@	20-Minute Fire-Rated
1D	Black Nickel
1C	Brushed Nickel
1A	Brass
1W	Wrought Iron
XK	Reeded
XG	Geometric
XE	Satin Etch
XC	Chord
XJ	Chinchilla
XR	Rainglass
XN	Granite
LE	Low-E
CL	Clear
SDL	1.125" Simulated
	Divided Lites
SDLF1	1.125" Flat Simulated
000	Divided Lites
	Grilles Between Glass
RG	Removable Wood Grilles
FXG	Fixed Grilles
FF	Flat Frame

66
70
50
20 Available in 2'0" Width
24 Available in 2'4" Width
26 Available in 2'6" Width
28 Available in 2'8" Width
and Available in 2'10" Width
30 Available in 3'0" Width
36 Available in 3'6" Width
Available in 10" Width
Available in 12" Width
4 Available in 14" Width
9 WBDR Options
6 WBDR / HVHZ Options

Profiles & **Traditions**







132HD-RT 218





Traditions: TS132-RTLE TS132-RTLE



2 Panel Soft Arch

2 Panel Craftsman



Profiles: 1005HD

Profiles: 203HD





Profiles: 210HD

Traditions: TS214

4 Panel



Profiles: 296HD

Clear

Traditions: TS296

2 Panel Square Top

Profiles: 978HD

Profiles: 132HD-RTLE

90-Minute Fire-Rated Steel Edge Doors

2 Panel Square Top



SE978HD 218

2 Panel Soft Arch







SE514 2|8

Flush Panel



SE100 26 218






SE210HD 26 28

PALMER

104



Finish Options



Matte Black



Aged Bronze







Bright Brass











F58 Camelot Ext. x F59 Georgian Int. Camelot Backplate

F58 Plymouth Ext. x F59 Plymouth Int.







F58 Century Ext. x F59 Lattitude Int.

Keyed Levers & Knobs



F51 Georgian Knob



F51 Plymouth Knob



F51 Accent Lever



F51 Lattitude Lever





B60



B62





BE365 Keypad

Plymouth



BE365 Keypad Camelot

Electronic Locks



FE595 Plymouth x Accent



FE595 Camelot x Georgian



FE595 Camelot x Accent



Multi-Point Locking Systems (MPLS)

Lever-Style MPLS **Exterior Handlesets** 9

Heirloom Venture Millennium Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)



Hardware Options



Tongue Shootbolt (For single (For double door systems.) door systems.)



2 1" premium stainless steel deadbolt.

3 Integrated mishandling device.






Brass Nickel Nickel Chrome Bronze

Grip-Style MPLS

Handlesets



Standard Door Side view of door. **Options** 2 6 **Tongue** (For single door systems.) Heights: | Configurations: 6'8" 7'0" Inswing Outswing 8'0" Self-lubricating locks. 2 1" premium stainless steel deadbolt. Interior view of door. 3 Integrated mishandling device.

Finish Options

2

0



Nickel Nickel Bronze



Storm Doors



Fullview Interchangable

Standard Colors



*Available in select models only.

Note: Andersen® is not covered under Therma-Tru's warranty. See www.andersenwindows.com for waranty information. Entry doors can be ordered to match the color of the storm door. Discuss options with your sales representative. Finish colors may vary from actual application due to flucuations in finishing or printing.

Exterior view of

door with lever-style MPLS.



3/4 Ventilating

1/2 Ventilating

Handleset Options

Frame Options & Accessories

Premium Paintable and Stainable Option






Choose DuraTech white, woodgrain, and fir for a low maintenance option that has custom color abilities. With a UV resistant topcoat and a DuraFrame core, this waterproofed jamb protects your entryway from the elements and everyday wear.

Vinyl Film Warranty: 10 Year Prefinish Warranty: 10 Year







Our DuraFrame unfinished option is made of a rot resistant wood, finger-jointed to the bottom of premium red pine. We will not professionally paint or stain the exterior of this jamb option. For a low maintenance entry, it is recommended this option is ordered with cladding, or the user chooses one of the options above.

Choose from these options:



White Stipple Paint this option any color, or leave it unfinished to match PrismaGuard 112 Alpine.




Woodgrain Stain or paint the woodgrain option to match your door. Unfinished jamb voids GM Wood warranty.



Fir

This stainable and paintable option is recommended for use with the Classic-Craft American (Fir) Collection.





Entry Door Installation Tools



Tru-Loc[™] Door Installation Anchors


Great solution for installing doors with sidelites, where the access to screwing through the frame is limited.

Comes standard on prefinished units with FrontLine Cladding or DuraTech Jambs.

Recommend:







camera over code to view Installation Video



PALMER ODNAVIN

Squaring Pole

Door installers' guide to accurately installing and replacing entry doors.

- 1. Measure the door from corner to corner, diagonally.
- 2. Adjust the length of the pole to fit tight by loosening the wing nut, then tightening again once the pole is secure in the diagonal of the door.
- 3. Make sure the end blocks of the Squaring Pole fit tight in corners.
- 4. If the measurement of both diagonals is equal, then the door is square



Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load. uniform load deflection, vertical load resistance. air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance. impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/LS 2 AAMA/WDMA 101/LS 2/NAFS_AAMA/WDMA/CSA 101/LS 2-A440 ASTM E330 ASTM E547 ASTM E283, ASTM E331, ANSI/BHMA A156,2, AAMA 1304 AAMA 920 AAMA 925 ASTM E2068 ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996 PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang - For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhand of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhand. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhands to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts - All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron - Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles. lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites - All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing

high-humidity conditions.

warrantv issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Therma-Tru seller or visit www.thermatru.com for more details.

Components

door in frame, up to 3/16" Hinges - Minimum hinge size

4" x 4" x .098".

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

RATINGS

condensation build-up. However, there is no such thing as a condensation-free window or doorlite in

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your

Adjustable Security Strike Plate - Proprietary adjustable type, permitting in-out adjustment of

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impactrated doors and glass.

Use of a sill pan is recommended.

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass -Classic Craft, Fiber-Classic, Smooth-Star and Pulse. Door Systems; Steel - Pulse., Profiles... Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft,, Fiber-Classic, Smooth-Star, and Pulse, Fiberglass Door Systems
- EnLiten Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star Flush-Glazed Fiberglass Door Systems
- PrismaGuard, Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse, Door Systems: Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft,, Fiber-Classic,, Smooth-Star, and Pulse, Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic, Smooth-Star, and Pulse, Fiberglass Door Systems

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved) for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.



CHICAGOLAND

520 Windy Point Dr Glendale Heights, IL 60139 630-868-9115

METRO DETROIT

41460 Grand River

Novi, MI 48375

248-468-1069

9284 Lapeer Rd Davison, MI 48423 810-653-3719

GREATER FLINT

GREAT LAKES BAY

4545 Bay Rd Saginaw, MI 48604 989-684-3360

GREATER LANSING

2361 W Grand River Rd Okemos, MI 48864 517-220-0250



1-800-GO-CLWARD • GoCLWard.com

C&L Ward and our partners are proud to be members of:



©2021 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. HOT21050215 / JUN 2021



thermatru.com 1-800-THERMA-TRU (843-7628)